

LIBRARY
OF THE
Leeds School of Medicine

No. *2111*

For *72*

Entered *September 1843*

Allowed for Reading two weeks.

Forfeiture per day for keeping it
beyond the Time, 1d.

If any book taken out of the Library
be lost or injured, the person in whose
name it is entered, shall pay the value of
it, and if the book be one of a set, he
shall take the remaining volumes, and pay
for the whole, or otherwise make the set
complete.

S.C. -1

LEEDS UNIVERSITY LIBRARY

Classmark:

Special Collections

Health Sciences Historical Collection

SC1



30106016127416



Pharmacopœia
PHARMACOPŒIA



IN USUM

PHARMACOPŒIA

A

THOMA GUY, ARMIGERO,

A. D. MDCCXXI

FUNDATI.

LONDINI:

PROSTAT VENALIS APUD COX ET FILIUM,

(*St. Thomas's Street, Borough.*)

MDCCCXVIII.



Entered at Stationers' Hall.

Typis Johannis M'Crecii,
Black-Horse-Court, London.

PHARMACOPŒIA

IN USUM

NOSOCOMII

A

THOMAS GUY, ARMIGERO,

PROPRIO SUMPTU

Ante Obitum Fundati,

ET

Maxima ex Parte Conditi :

JACOBO CURRY, M. D.

ALEXANDRO MARCET, M. D.

HENRICO JACOBO CHOLMELEY, M. D.

HUJUSCE NOSOCOMII

MEDICIS,

JACOBO LAIRD, M. D.

PRO-MEDICO,

THOMPSON FORSTER,

GULIELMO LUCAS,

ASTLEY PASTON COOPER

CHIRURGIS,

RICARDO STOCKER,

PHARMACOPŒO.

PRÆSIDI,
THESAURARIO,
CÆTERISQUE CURATORIBUS
NOSOCOMII,
HANCCE PHARMACOPŒIAM

SUMMA OBSERVANTIA

D. D. D.

MEDICI,
CHIRURGI,
ET
PHARMACOPŒUS.

KALENDIS MAII MDCCCXVIII.

HANC PHARMACOPŒIAM NOSTRAM ITERUM
PRÆLO SUBJECIMUS, PHARMACOPŒIÆ
COLLEGII LONDINENSIS, MDCCCIX,
EDITIONEM ALTERAM DUCEM PLERUMQUE
SEQUUTI; STYLUM AUTEM VARIARE AUSI, NON
UT SENSUS INMUTETUR, SED UT STUDIOSE JU-
VENTUTI QUAM MAXIME PRODESSET OPUSCULUM.



MATERIA MEDICA.

ABIETIS Resina.

Thus, P. L. 1787.

Pinus Abies.

Linnæi Species Plantarum a Willdenow editæ, tom. iv. 508. Lambert Pinus, p. 37. tab. 25.

Resina concreta.

Absinthium.

Absinthium vulgare, P. L. 1787.

Dosis, a gr. xx ad dr. j bis, terre quotidie.

Artemisia Absinthium.

Willd. iii. 1844. Woodv. t. 22. Smith et Sowerby Botanice Anglica, 1230.

Acaciæ Gummi.

Arabicum Gummi, P. L. 1787.

Dosis, a dr. ss ad dr. ij ter, vel sæpius quotidie.

Acacia vera.

Willd. iv. 1085. Woodv. t. 158.

Gummi.

Acaroidis Resina.

Resina flava a *Botany Bay*.

Dosis, a gr. x ad dr.
ss ter, quaterve quotidie.
—*Vide* Mistura.

Acaroides resinifera.

Memorabilia Societatis
Medicæ Lond. iv.
Resina.

Acetum.

Dosis, a fluidr. ij ad
fluidunc. ss bis, ter, sæpi-
usve quotidie.

Acidum aceticum im-
purum.

Acidum Picis.

Dosis. — *Vide* Acidum
Picis dilutum.

Pinus sylvestris.

Willd. iv. 494. Lam-
bert, p. i. t. ii. Woodv.
207. Bot. Ang. 2460.
Acidum empyreumaticum
e Resina nigra dis-
tillatum.

Acidum sulphuricum.

Acidum vitriolicum, P.
L. 1787.

Dosis. — *Vide* Acidum
sulphuricum dilutum.

Acidum sulphuricum.

Aconiti Folia.

Dosis. — *Vide* Extrac-
tum.

Aconitum Napellus.

Willd. ii. 1235. Woodv.
t. 165.
Folia.

Adeps.

Adeps suilla, P. L. 1787.

Sus Scrofa.

Linnaei Systema Naturæ a Gmelin editum, 217. Shaw Zoologia Generalis, ii. 459.
Adeps.

Ærugo.

Subacetas Cupri impura.

Allii Radix.

Dosis, *Succi a fluidr. j ad fluidunc. ss bis, terve quotidie.*

Allium sativum.

Willd. ii. 68. Woodv. t. 256.
Radix.

Aloës spicatæ Extractum.

Aloë socotorina, P. L. 1787.

Dosis, *a gr. iii ad dr. ss pro re nata.*

Aloë spicata.

Willd. ii. 185. Woodv. t. 260.
Succus spissatus.

Althææ Radix.

Dosis, *in Decocto ad libitum.*

Althæa officinalis.

Willd. iii. 770. Woodv. t. 198. Bot. Angl. 147.
Radix.

Alumen.

DOSIS, a gr. v ad xx semel, bis, sæpiusve quotidie.

Supersulphas Aluminæ et Potassæ.

Ammoniacum.

DOSIS, a gr. x ad xx bis, terre quotidie. — Vide Mistura.

Heracleum gummiferum.

Willd. Hort. Berol. i. t. 53, 54.

Gummi-resina.

Ammoniaë Murias.

Sal ammoniacus, P. L. 1787.

DOSIS, a gr. v ad xxx ter, quaterve quotidie.

Murias Ammoniaë.

Amygdalæ amaræ. }

Amygdalæ dulces. }

DOSIS.—Vide Mistura.

Amygdalus communis.

var. γ

var. β

Willd. ii. 982. Woodv. t. 183.

Nuclei.

Amylum.

DOSIS.—Vide Mucilago.

Triticum hybernum.

Willd. i. 477.

Amylum.

- | | |
|---|--|
| <p><i>Anthi Summa</i>
Dosis. <i>Vide Aqua.</i></p> | <p><i>Anethum graveolens</i>
Willd 1 1469. Woody
1 43.
Summa.</p> |
| <p><i>Anti Summa</i>
Dosis. <i>Vide Oleum.</i></p> | <p><i>Pinquella Anum</i>
Willd 1 1473. Woody
1 52.
Summa.</p> |
| <p><i>Anthracis Flores</i>
Chamaecleon, P L. 1757.
Dosis, a gr. x ad xx
lbs, terz quotidie.</p> | <p><i>Anthracis rubra</i>
Willd in 2139. Woody
1 19. Bot Angl 3321.
Flores simplicia</p> |
| <p><i>Antimonii Sulphure-
tum</i>
Antimonium, P L. 1757.
Dosis. <i>Vide Antimonii
Sulphuretum prepara-
tum.</i></p> | <p><i>Sulphuretum Antimo-
nii</i></p> |
| <p><i>Aqua Soda Supercar-
bonatis</i>
Dosis, a fluidunc. iv ad
viu lbs, ad ter quotidie.</p> | |

Argentum.

Argentum purifica-
tum.

Armoraciæ Radix.

Cochlearia Armora-
cia.Raphanus rusticus,
P. L. 1787.

Willd. iii. 451. Bot.

Dosis, a dr. ss ad dr. ij
in Infuso ter, quaterre
quotidie.Angl. 2323. Woodv.
t. 145.

Radix.

Arnici Flores et Ra-
dix.

Arnica montana.

Dosis, a gr. v ad x ter,
quaterre quotidie; vel in
Infuso a dr. j ad ij par-
titis vicibus quotidie.Willd. iii. 2106. Woodv.
t. 17.

Arsenici Oxydum.

Oxydum Arsenici al-
bum.

Arsenicum vulgo.

Dosis.—Vide Lignor.

Asari Folia.

Asarum Europæum.

Dosis, a gr. v ad xv bis,
terre quotidie.Willd. ii. 838. Woodv.
t. 66. Bot. Angl. 1083.
Folia.

Assafœtidæ Gummi-
resina.

Dosis, a gr. v ad xx bis,
terre quotidie. — Vide
Mistura, Pilulæ et Tinc-
tura.

Avenæ Semina.

Ferula Assafœtida.

Willd. i. 1413. Woodv.
t. 43.

Gummi-resina.

Avena sativa.

Willd. i. 1446.

Semina nuicis nu-
data.

Aurantii Baccæ et
Cortex.

Aurantium hispalense,
P. L. 1787.

Dosis, Succî a fluidr.
ij ad iv bis, ter, sæpiusve
quotidie: Corticis exsic-
cati in Infuso a dr. ss
ad dr. ij bis, terre quoti-
die.—Vide Confectio, et
Tinctura.

Citrus Aurantium.

Willd. iii. 1427. Woodv.
t. 188.

Baccarum Succus et
Cortex exterior.

Balsamum Peruvia-
num.

Dosis, a min. xx ad lx
bis, ter, quaterve quoti-
die.—Vide Mistura.

Myroxylon peruife-
rum.

Willd. ii. 546.
Balsamum.

- | | |
|---|---|
| Balsamum Tolutanum. | Toluifera Balsamum. |
| Dosis, a gr. xx ad dr.
ss bis, ter, quaterve quo-
tidie. | Willd. ii. 545. Woodv.
t. 215. |
| Belladonnæ Folia. | Atropa Belladonna. |
| Solanum lethale vulgo. | Willd. i. 1017. Woodv. |
| Dosis.—Vide Extractum. | t. 82. Bot. Angl. 592.
Folia. |
| Benzöinum. | Styrax Benzöin. |
| Benzoë, P. L. 1787. | Willd. ii. 623. Woodv. |
| Dosis, a gr. x ad dr. ss
bis, ter, quaterve quoti-
die. | t. 102.
Balsamum. |
| Bismuthum. | Bismuthum purifica-
tum. |
| Bistortæ Radix. | Polygonum Bistorta. |
| Dosis, a scrup. j ad dr.
j bis, ter, sæpiusve quoti-
die. | Willd. ii. 441. Woodv.
t. 232. Bot. Angl. 509.
Radix. |
| Byne. | Hordeum distichon. |
| | Willd. i. 473.
Semina præparata. |
| Cajuputi Oleum. | Melaleuca Cajuputi. |
| Dosis, a min. j ad v ex
Saccharo ter, quaterve
quotidie. | Willd. iii. 1429. Woodv.
t. 195.
Oleum essentielle. |

Calami Radix.

Calamus aromaticus, P.
L. 1787.

Dosis, a dr. ss ad dr. j
ter, quaterve quotidie.

Acorus Calamus.

Willd. ii. 199. Woodv.
t. 248. Bot. Angl. 356.
Radix.

Calamina.

Lapis calaminaris, P. L.
1787.

Carbonas Zinci im-
pura.

Calumbæ Radix.

Columba, P. L. 1787.

Dosis, a gr. v ad xv
bis, terre quotidie.—
Vide Infusum, et Tinc-
tura.

Plantæ adhuc anony-
mæ.

Radix.

Calx.

Carbonas Calcis fria-
bilis recens usta.

Cambogia.

Gambogia, P. L. 1787.

Dosis, a gr. v ad gr.
xv pro re nata.

Stalagmitis Cambo-
gioides.

Willd. iv. 980.
Gummi-resina.

Camphora.

Dosis, a gr. iij ad x ter,
quaterve quotidie.

Laurus Camphora.

Willd. ii. 478. Woodv.
t. 236.

Concretum sui generis
distillatione paratum.

Canellæ Cortex.

Canella alba, P. L. 1787.
Dosis, a gr. x a dr. ss
bis, terve quotidie.

Canella alba.

Willd. ii. 851. Woodv.
t. 237.

Cortex.

Capsici Baccæ.

Piper indicum, P. L.
1787.
Dosis, a gr. j ad x ter,
sæpiusve quotidie.

Capsicum annum.

Willd. i. 1050. Woodv.
t. 80.

Baccæ.

Carbo Ligni.

Externe tantum exhibetur.

Carbo Ligni recens.

Cardamines Flores.

Dosis, a scrup. j ad dr.
j ter quotidie.

Cardamine pratensis.

Willd. iii. 487. Woodv.
t. 143. Bot. Angl. 776.
Flores.

- | | |
|--|---|
| <p>(Cardamomi Semina.
 Cardamomum minus, P.
 L. 1787.
 Dosis, a gr. iij ad gr. x
 bis, sæpiusve quotidie.</p> | <p>Elettaria Cardamo-
 mum.
 Maton in Act. Soc. Lin.
 Woodv. t. 251.
 Semina.</p> |
| <p>(Caricæ Fructus.</p> | <p>Ficus Carica.
 Willd. iv. 1131. Woodv.
 t. 244.
 Fructus conditus.</p> |
| <p>(Carui Semina.
 Dosis, a gr. v ad xx bis,
 sæpiusve quotidie.</p> | <p>Carum Carui.
 Willd. i. 1470. Woodv.
 t. 41. Bot. Angl. 1503.
 Semina.</p> |
| <p>(Caryophylli.
 Caryophyllus aromatica,
 P. L. 1787.
 Dosis, a gr. iij ad x bis,
 ter, sæpiusve quotidie.—
 Vide Infusum.</p> | <p>Eugenia caryophyl-
 lata.
 Willd. ii. 965. Woodv.
 t. 193.
 Flores nondum expli-
 cati, siccati.</p> |
| <p>(Caryophyllorum Ole-
 um.
 Caryophylli aromaticæ
 oleum, P. L. 1787.
 Dosis, a min. j ad v bis,
 sæpiusve quotidie.</p> | <p>Eorum Oleum essen-
 tiale.</p> |

Cascarillæ Cortex.

DOSIS, a gr. x ad dr. j
ter, quaterve quotidie.—
Vide Infusum.

Croton Cascarilla.

Willd. iv. 531 ? Woodv.
t. 222.
Cortex.

Cassiæ Flores.

DOSIS.—Vide Aqua.

Laurus Cassia.

Willd. ii. 477.
Flores nondum expli-
cati, siccati.

Cassiæ Pulpa.

DOSIS.—Vide Confectio
Sennæ.

Cassia Fistula.

Willd. ii. 518. Woodv.
t. 160.
Lomentorum Pulpa.

Castoreum.

Castoreum Russicum, P.
L. 1787.

DOSIS, a gr. x ad xx bis,
ter, quaterve quotidie.

Castor Fiber (Rossi-
cus).

Gmel. 124. Shaw, ii. 30.
Concretum sui generis.

Catechu Extractum.

Catechu, P. L. 1787.

DOSIS, a gr. xv ad xxx
bis, ter, vel sæpius quo-
tidie.

Acacia Catechu.

Willd. iv. 1079. Woodv.
t. 157.
Extractum aquosum.

Cera flava.	Apis mellificæ Nidus purificatus. Gmel. 2744. Shaw vi. 289.
Cera alba.	Idem dealbatus purificatus.
Cerevisiæ Fæcula.	Residuum Cerevisiæ in cadis.
Cerevisiæ Fermentum.	Fermentum Cerevisiæ.
DOSIS, <i>fluidunc. ss quartis, vel sextis horis.</i>	
Cetaceum.	Physeter macrocephalus.
Sperma Ceti, P. L. 1787.	Gmel. 227. Shaw, ii. 497.
DOSIS, <i>a gr. x ad dr. j ter, vel sæpius quotidie.</i>	Concretum sui generis.
Cinchonæ Caribææ Cortex.	Cinchona Caribæa.
DOSIS, <i>a scrup. j ad dr. j ter, vel sæpius quotidie.</i>	Willd. i. 959. Wright, in Act. Lond. t. lxxvii. β 504, fig. 10. Cortex.

Cinchonæ cordifoliæ Cortex. Cinchona flava <i>vulgo</i> .	Cinchona cordi- folia. Cortex. Cinchona lancifoliæ Cortex. Cinchona, P.L. 1787.	} ZEA in "Anal. de Hist. Nat."
Cinchonæ lancifoliæ Cortex. Cinchona, P.L. 1787.	Cinchona lanci- folia. Woodv. t. 91. Cortex.	
Cinchonæ oblongifo- liæ Cortex. Cortex peruvianus ru- ber <i>vulgo</i> . <i>Singulorum</i> Dosis, a gr. x ad dr. j bis, ter, sæ- piusve quotidie.	Cinchona oblon- gifolia. Woodv. t. 92. Cortex.	
Cinnamomi Cortex. Dosis, a gr. v ad xx bis, ter, sæpiusve quotidie.	Laurus Cinnamo- mum. Willd. ii. 477. Woodv t. 233. Cortex.	
Cinnamomi Oleum. Dosis, a min. ss ad min. ij bis, ter, quaterve quo- tidie.	Ejus Oleum essen- tiale.	

Coccus.

Coccinella, P. L. 1787.
*Coloris gratia tantum
 exhibetur.*

Coccus Cacti.

Gmel. 2220. Shaw, vi.
 189, 191.

Colchici Radix.

Dosis.—*Vide* Acetum.

Colchicum autum-
nale.

Willd. ii. 272. Bot.
 Angl. 133. Woodv. t.
 258.

Radix recens.

Colocynthis Pulpa.

Dosis, a gr. j ad viii
mane. Vide Extractum,
et Enema.

Cucumis Colocynthis.

Willd. iv. 611. Woodv.
 t. 71.

Pomorum Pulpa.

Conii Folia.

Cicuta, P. L. 1787.
 Dosis — *Vide* Extrac-
 tum.

Conium maculatum.

Willd. i. 1395. Bot.
 Angl. 1191. Woodv.
 t. 42.

Folia.

Contrajervæ Radix.

Dosis, a gr. xx ad xl
ter, quaterve quotidie.
Vide Infusum Serpenta-
 riæ compositum.

Dorstenia Contrajer-
va.

Willd. i. 683. Woodv.
 t. 240.

Radix.

Copaiba.

Balsamum Copaiva, P.
L. 1787.

DOSIS, a min, xx ad
xxx ex Saccharo bis,
terve quotidie. — Vide
Mistura.

Copaifera officinalis.

Willd. ii. 630. Woodv.
t. 216.

Resina liquida.

Coriandri Semina.

DOSIS, a gr. v ad xx ter,
sæpiusve quotidie.

Coriandrum sativum.

Willd. i. 1448. Woodv.
t. 53. Bot. Angl. 67.
Semina.

Cornua.

Cornu Cervi, P.L. 1787.

Cervus Elaphus.

Gmel. 176. Shaw, ii.
261, 276.
Cornua.

Creta.

DOSIS. — Vide Creta præ-
parata.

Carbonas Calcis friabilis.

Crocii Stigmata.

DOSIS, a gr. v ad dr.
ss ter, vel sæpius quo-
tidie.

Crocus sativus (An-
glicus).

Willd. i. 194. Bot. Angl.
343. Woodv. t. 259.
Stigmata.

- | | |
|---|--|
| Cumini Semina. | Cuminum Cyminum.
Willd. i. 1440. Woodv.
t. 56.
Semina. |
| Cupri Sulphas. | Sulphas Cupri. |
| Cuspariæ Cortex. | Cusparia febrifuga.
Bonpland, Iter.*
Cortex. |
| Angustura vulgo.
Dosis, a gr. x ad xx
bis, ter, quaterve quo-
tidie. | |
| Cydoniæ Semina. | Pyrus Cydonia.
Willd. ii. 1020.
Semina. |
| Cydoniæ Mali semina,
P. L. 1787.
Dosis.—Vide Decoctum. | |
| Cynaræ Folia. | Cynara Scolymus.
Willd. iii. 1691. Woodv.
t. 28.
Folia. |
| Dosis. — Succi a fluid-
unc. ss ad fluidunc. j.
bis, terre quotidie. | |
| Dauci Radix. | Daucus Carota (hor-
tensis).
Willd. i. 1389. Woodv.
t. 50. Bot. Angl. 1174.
Radix. |

* Bonplandiæ trifoliatæ Cortex, Humboldt et Bonpland Plantæ Æquinoctiales, vol. ii. p. 59.

Digitalis Folia.

DOSIS, a gr. ss ad gr. ij
bis, ter, sæpiusve quo-
tidie.—Vide Infusum, et
Tinctura.

Digitalis purpurea.

Willd. iii. 283. Bot.
Angl. 1297. Woodv.
t. 78.
Foliorum pars te-
nuior.

Dolichi Pubes.

DOSIS, a gr. v ad x
semel, vel bis quotidie.
—Vide Electuarium.

Dolichos pruriens.

Willd. iii. 1041. Woodv.
t. 153.
Leguminum Pubes.

Dulcamaræ Caulis.

DOSIS.—Vide Decoctum.

Solanum Dulcamara.

Willd. i. 1028. Bot.
Angl. 565. Woodv. t.
85.
Caulis.

Elaterii Poma.

DOSIS.—Vide Extractum
Elaterii.

Momordica Elateri-
um.

Willd. iv. 605. Woodv.
t. 72.
Poma recentia.

Elemi.

DOSIS, a gr. x ad dr. ss
bis, vel ter quotidie.

Amyris Elemifera.

Willd. ii. 333.
Resina.

- | | |
|--|--|
| Euphorbiæ Gummi-resina. | Euphorbia officinarum.
Willd. ii. 884.
Gummi resina. |
| Farina. | Triticum hybernum.
Willd. i. 477.
Farina. |
| Ferrum. | Ferri Ramenta, et Fila. |
| Filicis Radix.
Dosis, a dr j ad ij. | Aspidium Filix mas.
Smith Flor. Brit. 1121.
Bot. Angl. 1458.
Woodv. t. 267.
Radix. |
| Fœniculi Semina.
Fœniculum dulce, P. L. 1787.
Dosis, a gr. x ad dr. ss ter, vel sæpius quotidie. | Anethum Fœniculum.
Willd. i. 1469. Bot. Angl. 1208.
Semina. |
| Fucus.
Quercus marina. | Fucus vesiculosus.
Bot. Angl. 1066. |

Furfur.

Triticum hybernum.

Willd. i. 477.

Seminis tunicæ con-
tritæ.Galbani Gummi-re-
sina.

Bubon Galbanum.

Willd. i. 1439. Woodv.
t. 97.Dosis, a gr. x ad xx
ter, quaterve quotidie.

Gummi-resina.

Galla.

Cynips Quereus folii.

Dosis, a gr. x ad dr. ss
bis, ter, sæpiusve quo-
tidie.Gmel. 2650. Shaw, vi.
267, 268.

Nidus.

Gentianæ Radix.

Gentiana lutea.

Dosis.—*Vide* Infusum
compositum, Tinctura
composita, et Extrac-
tum.Willd. i. 1331. Woodv.
t. 95.

Radix.

Geoffroyæ Cortex.

Geoffroya inermis.

Dosis, a scrup. j ad ij
ter, quaterve quotidie.—
Vide Decoctum.Willd. iii. 1130. Woodv.
t. 151.

Cortex.

Glycyrrhizæ Radix.

Glycyrrhiza glabra.

Willd. iii. 1144. Woodv.
t. 152.

Radix.

- | | |
|--|---|
| Glycyrrhizæ Extrac-
tum. | Ejus Extractum aquo-
sum. |
| Granati Cortex. | Punica Granatum. |
| Dosis, <i>a scrup. j ad dr.
j bis, ter, quaterve quo-
tidie.</i> | Willd. ii. 981. Woodv.
t. 190.
Cortex. |
| Guaiaci Resina, et
Lignum. | Guaiacum officinale. |
| Dosis. <i>Resinæ a gr. x
ad dr. ss ter, quaterve
quotidie: Ligni.—Vide
Decoctum.</i> | Willd. ii. 538. Woodv.
t. 200.
Lignum, et Resina. |
| Hæmatoxyli Lignum. | Hæmatoxylon Cam-
pechianum. |
| Dosis.— <i>Vide Decoctum.</i> | Willd. ii. 547. Woodv.
t. 163.
Lignum. |
| Hellebori fœtidi Folia. | Helleborus fœtidus. |
| Helleboraster, P.L. 1787. | Willd. ii. 1337. Bot. |
| Dosis, <i>Pulveris a gr. x
ad xxx mane.</i> | Angl. 613. Woodv. t.
170.
Folia. |
| Hellebori nigri Radix. | Helleborus niger. |
| Dosis.— <i>Vide Tinctura.</i> | Willd. ii. 1336. |

Hirudo.

Hirudo medicinalis.

Gmel. 3095.

Hordei Semina.

Hordeum distichon.

Willd. i. 475.

Semina tunicis nudata.

Humuli Strobili.

Humulus Lupulus.

DOSIS.—*Vide* Extractum,
et Tinctura.

Willd. iv. 769. Bot.

Angl. 427.

Strobili siccati.

Hydrargyrum.

Hydrargyrum.

DOSIS.—*Vide* Hydrargy-
rum purificatum.Hyoscyami Folia, et
Semina.

Hyoscyamus niger.

Willd. i. 1010. Bot.

DOSIS.—*Vide* Extractum.Angl. 591. Woodv. t.
76.

Folia, et Semina.

Jalapæ Radix.

Convolvulus Jalapa.

DOSIS, a gr. x ad xxx
mane.

Willd. i. 860. Woodv.

t. 87.

Radix.

Ipecacuanhæ Radix.

Dosis, a gr. ss ad gr. ij
bis, ter, sæpiusve quo-
tidie, vel a gr. iij ad
xxx ad vomitum cien-
dum.

Callicocca Ipecacu-
anha.

Brotero in Act. Soc.
Linn. Londini, vi. 137.
Woodv. t. 274.
Radix.

Juniperi Baccæ.

Dosis.—*Vide Infusum.*

Juniperus communis.

Willd. iv. 853. Bot.
Angl. 1100. Woodv. t.
6.
Baccæ.

Kino.

Dosis, a gr. x ad dr. ss
bis, ter, sæpiusve quo-
tidie.

Arboris nondum des-
criptæ Africanæ
Extractum.

Lac.

Bos Taurus.

Gmel. i. 202. Shaw, ii.
397.
Lac.

Lavandulæ Flores.

Lavandula spica.

Willd. iii. 60. Woodv.
t. 114.
Flores recentes.

- | | |
|--|--|
| Lauri Baccæ, et Folia. | Laurus nobilis.
Willd. ii. 479. Woodv.
t. 235. |
| Lichen.
Dosis.— <i>Vide</i> Decoctum. | Lichen Islandicus.
Bot. Angl. 1330. Woodv.
t. 271. |
| Limonēs.
Dosis, <i>Succi a fluidr. ij
ad iv bis, ter, sæpiusve
quotidie.</i> | Citrus medica.
Willd. iii. 1426. Woodv.
t. 189.
Baccæ. |
| Limonum Cortex.
Dosis, <i>in Infuso a dr. ss
ad dr. ij bis, vel ter quo-
tidie.</i> | Earum Cortex exte-
rior recens. |
| Limonum Oleum.
Dosis, <i>a min. ij ad v bis,
vel ter quotidie.</i> | Ejus Oleum essentielle. |
| Lini usitatissimi Semi-
na.
Dosis.— <i>Vide</i> Infusum. | Linum usitatissimum.
Willd. i. 1533. Bot.
Angl. 1357. Woodv.
t. 202.
Semina. |

Lytta.

Cantharis, P. L. 1787.
Dosis, *a gr. ss ad gr. ij*
bis, ter, quaterve quoti-
die. Vide Tinctura.

Lytta vesicatoria.

Gmel. 2013.

Magnesiæ Sulphas.

Magnesiæ vitriolata, P. L.
1787.

Dosis, *ab unc. ss ad unc.*
ij in die ; vel a dr. ss ad
dr. j semel, bis, vel ter
quotidie.

Sulphas Magnesiæ pu-
rificata.

Manna.

Dosis, *ab unc. ss ad unc.*
iss in die ; vel dr. j bis,
vel ter quotidie.

Fraxinus Ornus.

Willd. iv. 1104. Woodv.
t. 209.
Succus concretus.

Mastiche.

Dosis, *a gr. x ad dr. ss*
ter, quaterve quotidie.

Pistachia Lentiscus.

Willd. iv. 755. Woodv.
t. 11.
Resina.

Mel.

Apis mellificæ Cibus
reconditus.

Mentha piperita.

Mentha piperitis, P. L.
1787.

Dosis.—*Vide* Aqua.

Mentha Piperita.

Smith, in Act. Soc. Linn.
v. 189. Flor. Brit.
614. Bot. Angl. 687.
Woodv. t. 120.

Mentha viridis.

Mentha sativa, P. L.
1787.

Dosis.—*Vide* Aqua, et
Infusum.

Mentha viridis.

Smith, in Act. Soc. Linn.
v. 185. Flor. Brit.
612. Bot. Angl. 2424.
Woodv. t. 121.

Mezerei Cortex.

Dosis, a gr. j ad x ter,
quaterve quotidie.

Daphne Mezereum.

Willd. ii. 415. Bot.
Angl. 1381. Woodv.
t. 245.
Radicis Cortex.

Mithridatium, P. L.
1745.

Dosis, a gr. xx ad xl se-
mel, bis, sæpiusve quo-
tidie.

Moschus.

Dosis, a gr. v ad xx bis,
ter, sæpiusve quotidie.—
Vide Mistura.

Moschus moschiferus.

Gmel. 172. Shaw, ii.
249.

Concretum sui gene-
ris in folliculo pro-
pe umbilicum sito.

Myristicæ Nuclei.

Dosis, a gr. v ad xx
bis, ter, sæpiusve quo-
tidie.

Myristica moschata.

Willd. iv. 869. Woodv.
t. 238.
Nuclei.

Myrrha.

Dosis, a gr. x ad xx bis,
ter, sæpiusve quotidie.

Arboris nondum de-
scriptæ

Gummi-resina.

Napi Radix.

Brassica Napus.

Willd. iii. 547.

Nux vomica.

Dosis, a gr. j ad iv bis,
vel ter quotidie.—Vide
Extractum.

Strychnos Nux vo-
mica.

Willd. i. 1052. Woodv.
t. 79.

Olibanum.

Dosis, a gr. xx ad dr.
ss ter quotidie.—Vide
Mistura.

Juniperus Lycia.

Willd. iv. 855.
Gummi-resina.

Olivæ Oleum.

Dosis, a fluidr. j ad flu-
idunc. j bis, ter, sæpi-
usve quotidie.

Olea Europæa.

Willd. i. 44. Woodv.
t. 98.
Drupæ Oleum ex-
pressum.

Opium.

Dosis, a gr. $\frac{1}{8}$ ad gr. iij
plurave, semel, bis, sa-
piusve quotidie.

Papaver somniferum.

Willd. ii. 1147. Bot.
 Angl. 2145.

Capsularum immatu-
 rarum succus con-
 cretus (Turcicus).

Origanum.

Origanum vulgare.

Willd. iii. 135. Bot.
 Angl. 1143. Woodv.
 t. 123.

Ovum.

Phasianus Gallus.

Vide Mistura Vini.

Gmel. i. 737.

Papaveris Capsulæ.

Papaver somniferum.

Dosis.—*Vide Syrupus, et*
Extractum.

Willd. ii. 1147. Bot.
 Angl. 2145. Woodv.
 t. 138.

Capsulæ maturæ
 demptis seminibus.

Petroleum.

Pimentæ Baccæ.

Myrtus Pimenta.

Dosis, a gr. v ad xx bis,
ter, sapiusve quotidie.

Willd. ii. 973. Woodv.
 t. 194.
 Baccæ.

Piperis longi Fructus.

Dosis, a gr. v ad xx bis,
ter, sæpiusve quotidie.

Piper longum.

Willd. i. 161. Woodv.
t. 247.Fructus immaturus
siccatus.

Piperis nigri Baccæ.

Dosis, a gr. v ad xx bis,
ter, sæpiusve quotidie.

Piper nigrum.

Willd. i. 159. Woodv.
t. 246.

Baccæ.

Pix arida.

Pix Burgundica, P. L.
1787.

Pinus Abies.

Willd. iv. 508. Lam-
bert, p. 37. t. 25.

Resina præparata.

Pix liquida.

Pinus sylvestris.

Willd. iv. 494. Lam-
bert, p. 1. t. 2. Bot.
Angl. 2460.Resina præparata et
empyreumatica.

Pix nigra.

Dosis, a gr. x ad xx bis,
vel ter quotidie.Residuum e Picis li-
quidæ distillatione.

Resina præparata dura.

Plumbi Oxydum semivitreum.	Oxydum Plumbi semivitreum.
----------------------------	----------------------------

Lithargyrus, P. L. 1787.

Plumbi Subcarbonas. Cerussa.	Subcarbonas Plumbi.
---------------------------------	---------------------

Porri Radix.	Allium Porrum.
--------------	----------------

*Dosis, Succ i a fluidr. j
ad fluidunc. iss bis, vel
ter quotidie.*

Willd. ii. 64.
Radix recens.

Potassæ Nitras. Nitrum, P. L. 1787. <i>Dosis, a gr. v ad dr. j bis, ter, sæpiusve quod- tidie.</i>	Nitras Potassæ puri- ficata.
--	---------------------------------

Potassæ Subcarbonas impura.	Subcarbonas Potassæ impura.
--------------------------------	--------------------------------

Potassæ impura, P. L.
1809. Cineres clavel-
lati, P. L. 1787.

- | | |
|--|---|
| <p>Potassæ Supertartras.
Tartari crystalli, P. L.
1787.
Dosis, a dr. ss ad dr. ij
bis, ter, quaterve quoti-
die.</p> | <p>Supertartras Potassæ
purificata.</p> |
| <p>Pruna.
Prunus Gallica, P. L.
1787.</p> | <p>Prunus domestica.
Willd. ii. 995. Woodv.
t. 187.
Drupæ siccatae Gallicæ.</p> |
| <p>Pterocarpi Lignum.
Santalum rubrum, P. L.
1787.
Coloris gratia tantum ex-
hibetur.</p> | <p>Pterocarpus santali-
nus.
Willd. iii. 906. Woodv.
t. 156.
Lignum.</p> |
| <p>Pulegium.
Dosis.—<i>Vide</i> Aqua.</p> | <p>Mentha Pulegium.
Willd. iii. 82. Bot. Angl.
1026. Woodv. t. 122.</p> |
| <p>Pyrethri Radix.
Dosis, a gr. iij ad' gr. x
ter, quaterve quotidie.</p> | <p>Anthemis Pyrethrum.
Willd. iii. 2184. Woodv.
t. 20.
Radix.</p> |

Pyrola.

DOSIS.—*Vide* Decoctum
et Extractum.

Pyrola umbellata.

Willd. ii. 622. Acta Me-
dico-Chirurgica Londi-
ni, v.

Quassia Lignum.

DOSIS.—*Vide* Infusum,
et Tinctura.

Quassia excelsa.

Willd. ii. 569. Woodv.
t. 204.
Lignum.

Quercus Cortex.

DOSIS, a gr. x ad dr. ss
bis, ter, sæpiusve quoti-
die.—*Vide* Decoctum.

Quercus pedunculata.

Willd. iv. 450.
Cortex.

Resina flava.

Pinus sylvestris.

Willd. iv. 494. Lambert,
p. i. t. 2. Bot. Angl.
2460.

Residuum postquam
Oleum Terebinthi-
næ distillatum est.

Rhamni Baccæ.

Spina cervina, P. L.
1787.
DOSIS.—*Vide* Syrupus.

Rhamnus catharticus.

Willd. i. 1092. Bot.
Angl. 1629.
Baccæ.

Rhei Radix.

Rhabbarbarum, P. L.
1787.

Dosis, *a gr. iij ad scrup.*
ij pro re nata. — Vide
Tinctura.

Rheum palmatum.

Willd. iii. 489. Woodv.
t. 231.

Radix.

Ricini Semina, et
Oleum.

Dosis, *Olei a fluidr. ij*
ad xii pro re nata.

Ricinus communis.

Willd. iv. 564. Woodv.
t. 221.

Semina, et Oleum e
Seminibus expres-
sum.

Rosæ caninæ Pulpa.

Cynosbati fructus, P. L.
1787.

Rosa canina.

Willd. ii. 1077. Bot.
Angl. 992. Woodv. t.
177.

Baccarum Pulpa ex-
pressa.

Rosæ centifoliæ Peta-
la.

Rosa damascena, P. L.
1787.

Rosa centifolia.

Willd. ii. 1071. Woodv.
t. 178.

Petala.

Rosæ Gallicæ Petala.	Rosa Gallica.
Rosa rubra, P. L. 1787.	Willd. ii. 1071. Woodv.
Dosis.— <i>Vide</i> Confectio, et Infusum.	t. 179. - Petala.
Rosmarini Cacumina.	Rosmarinus officina- lis.
	Willd. i. 126. Woodv.
	t. 117.
	Cacumina.
Rubiæ Radix.	Rubia Tinctorum.
Dosis.— <i>Vide</i> Decoctum.	Willd. i. 603. Woodv.
	t. 67.
	Radix.
Sabinæ Folia.	Juniperus Sabina.
	Willd. iv. 852. Woodv.
	t. 5.
	Folia.
Saccharum.	} Saccharum officina- rum.
Saccharum purifi- catum.	
	Willd. i. 321. Woodv.
	t. 266.
	Præparata e Succo expresso.

Sagapenum.

Dosis, a gr. x ad xx
bis, vel ter quotidie.Plantæ nondum des-
criptæ

Gummi-resina.

Salicis Cortex.

Dosis, a scrup. j ad dr. j
bis, ter, sæpiusve quoti-
die.

Salix Caprea.

Willd. iv. 703. Bot.
Angl. 1488.
Cortex.

Sapo durus.

Dosis, a gr. v ad xxx
ter, sæpiusve quotidie.Sapo (Hispanicus) ex
Olivæ Oleo, et So-
da confectus.

Sapo mollis.

Sapo ex Oleo, et Po-
tassa confectus.

Sarsaparillæ Radix.

Dosis. a dr. ss ad dr. ij
ter, quaterve quotidie.

Smilax Sarsaparilla.

Willd. iv. 776. Woodv.
t. 62.
Radix.Sassafras Lignum, et
Radix.Dosis, ex Infuso a dr. j
ad ij ter, quaterve quo-
tidie.

Laurus Sassafras.

Willd. ii. 485. Woodv.
t. 234.
Lignum, et Radix.

Scammoneæ Gummi-
resina.

Scammonium, P.L. 1787.

DOSIS, *a gr. v ad xv pro
re nata. Vide Pulvis
compositus, et Pulvis
cum Hydrargyro.*Convolvulus Scammo-
nea.Willd. i. 845. Woodv.
t. 86.

Gummi-resina.

Scillæ Radix.

DOSIS, *Radicis recentis
a gr. v ad xv; siccatae a
gr. j ad iij bis, ter, sæ-
piusve quotidie. —Vide
Acetum, Oxy-mel, et
Tinctura.*

Scilla maritima.

Willd. ii. 125. Woodv.
t. 255.

Radix.

Senegæ Radix.

DOSIS.—*Vide Decoctum.*

Polygala Senega.

Willd. iii. 894. Woodv.
t. 162.

Radix.

Sennæ Folia.

DOSIS, *a dr. ss ad dr. j
pro re nata.—Vide Infu-
sum, et Tinctura.*

Cassia Senna.

Willd. ii. 520. Woodv.
t. 159.

Folia.

Serpentariæ Radix.

Dosis, a gr. x ad dr. ss
ter, quaterve quotidie.—
Vide Tinctura, et Infu-
sum compositum.

Aristolochia Serpen-
taria.

Willd. iv. 159. Woodv.
t. 153.
Radix.

Sevum.

Ovis Aries.

Dosis, a dr j ad iv ex
Lacte novo, Saccharo ad
gratum saporem addito,
bis, ter sæpiusve quoti-
die.

Gmel. 197. Shaw. i.
379, 385.

Simaroubæ Cortex.

Quassia Simarouba.

Dosis.—Vide Infusum.

Willd. ii. 568. Woodv.
t. 203.
Cortex.

Sinapis Semina.

Sinapis nigra.

Dosis, a dr. j ad iv semel,
bis, vel ter quotidie.

Willd. iii. 555. Bot.
Angl. 969. Woodv. t.
146.
Semina.

Sodæ Murias.

Murias Sodæ.

Sal muriaticus, P.L. 1787.

Dosis, ab unc. ss ad unc.
j in Enematibus.

Sodæ Subboras.

Subboras Sodæ puri-
ficata.

Borax, P. L. 1787.

Dosis, a gr. x ad dr. ss
ter, quaterve quotidie.Sodæ Subcarbonas im-
pura.Subcarbonas Sodæ
impura.

Soda impura, P. L. 1809.

Barilla, P. L. 1787.

Sodæ Sulphas.

Sulphas Sodæ.

Natron vitriolatum, P.
L. 1787.Dosis ab unc. ss ad unc.
ij pro re nata; vel dr. j
semel, bis, vel ter quo-
tidie.

Spigeliæ Radix.

Spigelia Marilandica.

Dosis.—*Vide Infusum.*Willd. iv. 825. Woody.
t. 69.

Radix.

Spiritus rectificatus.

Hujus Pondus specificum
est ad pondus aquæ dis-
tillatæ ut .835 ad 1.000.

Spiritus tenuior.

Fiat commiscendo Spiritus rectificati congios quatuor cum Aquæ congiis tribus.

Spongia.

Spongia officinalis.

Gmel. iv. 3320.

Stannum.

Stanni Limatura.

Dosis, a dr. j ad iv quo tidie.

Staphisagriæ Semina.

Dosis, a gr. iij ad x bis, vel ter quotidie.

Delphinium Staphisagriæ.

Willd. ii. 1231. Woodv. t. 168. Semina.

Stramonium.

Fumatum a dr. ss ad dr. ij.

Dosis.— Vide Extractum.

Datura Stramonium.

Willd. i. 1009. Bot. Angl. 1288. Woodv. t. 74.

Styracis Balsamum.

Dosis, a gr. x ad dr. ss
bis, ter, sæpiusve quo-
tidie.

Styrax officinale.

Willd. ii. 623. Woodv.
t. 101.
Balsamum.

Succinum.

Succinum.

Sulphur.

Sulphur.

Sulphur sublimatum.

Dosis, a scrup. j ad dr. j
semel, vel bis quotidie.

Sulphur sublimatum.

Tabaci Folia.

Dosis.—*Vide* Enema, et
Vinum.

Nicotiana Tabacum.

Willd. i. 1014. Woodv.
t. 77.
Folia.

Tamarindi Pulpa.

Dosis, ab unc. ss ad un-
ciam quotidie.

Tamarindus Indica.

Willd. iii. 557. Woodv.
t. 161.
Leguminis Pulpa.

Taraxaci Radix.

Dosis, Succī a fluidunc.
ss ad fluidunc. ij quoti-
die.—*Vide* Extractum,
et Decoctum.

Leontodon Taraxa-
cum.

Willd. iii. 1544. Bot.
Angl. 510. Woodv. t.
16.

Radix recens.

Terebinthina Cana-
densis.

Dosis, a scrup. j ad dr. j
bis, vel ter quotidie.

Terebinthina Chia.

Dosis, a scrup. j ad dr. j
bis, vel ter quotidie.

Terebinthina vulga-
ris.

Dosis, a scrup. j ad dr. j
bis, vel ter quotidie. In
Enemate ab unc. ss ad
unc. j.—Vide Enema.

Terebinthinæ Oleum.

Dosis, a min. xx ad xxx
ex Melle ter, quaterve
quotidie; vel a fluidunc.
ss ad fluidunc. ij per se
semel in die.

Pinus balsamea.

Willd. iv. 504. Lam-
bert, p. 48. t. 31.
Resina liquida.

Pistachia Terebin-
thus.

Willd. iv. 752. Woodv.
t. 12.
Resina liquida.

Pinus sylvestris.

Willd. iv. 494. Lam-
bert, p. 1. t. 2. Bot.
Angl. 2460. Woodv.
t. 1.
Resina liquida.

Ex ejus Resina liqui-
da

Oleum distillatum.

Testæ.

Ostreorum Testæ, P. L.
1787.

Dosis. — *Vide* Testæ
præparatæ.

Ostrea edulis.

Gmel. iv. 3334.

Testæ in litore deal-
batæ.

Tormentillæ Radix.

Dosis, a scrup. j ad ij bis,
sæpiusve quotidie.

Tormentilla officina-
lis.

Smith Flor. Brit. 552.
Bot. Angl. 863. Woodv.
t. 181.*

Radix.

Tragacantha.

Dosis, a gr. x ad dr. j
ter, sæpiusve quotidie.

Astragalus verus.

Olivier Voy. dans l'Em-
pire Ottom. tom. v.
Woodv. t. 149?
Gummi.

Valerianæ Radix.

Dosis, a dr. ss ad dr. j
*bis, ter, sæpiusve quoti-
die. — Vide Tinctura.*

Valeriana officinalis
(sylvestris).

Willd. i. 177. Bot.
Angl. 698. Woodv. t.
32.

Radix.

Veratri Radix.

Dosis, a gr. iij ad x bis,
ter, quaterve quotidie.—
Vide Tinctura.

Veratrum album.

Willd. iv. 895. Woodv.
t. 257.
Radix.

Vinum.

Vinum album His-
panicum, Anglice
Sherry.

Ulmi Cortex.

Dosis. — *Vide* Decoc-
tum.

Ulmus campestris.

Willd. i. 1324. Bot.
Angl. 1886. Woodv.
t. 242.
Liber.

Uvæ passæ.

Vitis vinifera.

Willd. i. 1180. Woodv.
t. 57.
Fructus siccatus.

Uvæ Ursi Folia.

Dosis, a gr. xx ad xl ter,
quaterve quotidie.

Arbutus Uva Ursi.

Willd. ii. 618. Bot.
Angl. 714. Woodv. t.
100.
Folia.

Zincum.

Zincum.



Zingiberis Radix.

Zingiber officinale.

Dosis, a gr. v ad dr. ss
bis, vel sæpius quotidie.
—*Vide* Tinctura.

Roscoe in Act. Soc.
Linn. viii. 347, 348.
Woodv. t. 250.
Radix.

PRÆPARATA ET COMPOSITA.

ACETUM COLCHICI.

DOSIS, *a minimis xxx ad fluidrachmas ij
bis, terve quotidie.*

ACIDUM ACETICUM.

Acetum distillatum, P. L. 1787.

DOSIS, *fluidr. ij ad viij bis, ter, sæpiusve
quotidie.*

ACETUM SCILLÆ.

DOSIS, *a minim. xx ad lx bis, ter, sæpiusve
quotidie.*

ACIDUM ACETICUM FORTE.

Acidum acetosum, P. L. 1787.

℞ Potassæ Acetatis uncias vj,
Acidi sulphurici unc. iij.

46 PRÆPARATA ET COMPOSITA.

Immittatur Acidum in retortam tubo instructam ; tum paulatim, et diversis vicibus adde Potassæ Acetatem, expectans dum frigescat mistura. Denique modico calore distillet Acidum ad siccitatem usque residui.

ACIDUM BENZOICUM.

Flores Benzoës, P. L. 1787.

Dosis, *a gr. x ad xxx ter, quaterve quotidie.*

ACIDUM MURIATICUM.

Dosis, *a minim. x ad xx bis, ter, sæpiusve quotidie.*

ACIDUM NITRICUM.

Acidum nitrosum, P. L. 1787.

Dosis, *a minim. xx ad xl in Aquæ oct. j pro Lotione.—Vide Julepum.*

ACIDUM NITRICUM DILUTUM.

Dosis, *a minim. x ad xxx bis, sæpiusve quotidie.—Vide Julepum.*

PRÆPARATA ET COMPOSITA. 47

ACIDUM NITRO-MURIATICUM.

℞ Acidi nitrici,
Acidi muriatici, singulorum partes men-
sura æquales.

Dosis, *a minim. x ad xxx bis, ter, sæpiusve*
quotidie.—*Vide* Lotio.

ACIDUM PICIS DILUTUM.

Aqua Picis liquidæ vulgo.

℞ Acidi Picis fluidr. vj,
Aquæ oct. ij.

Misce.

Dosis, *fluidunc. iv ter, quaterve* quotidie.

ACIDUM SULPHURICUM DILUTUM.

Acidum vitriolicum dilutum, P. L. 1787.

Dosis, *a minim. x ad xx bis, ter, sæpiusve*
quotidie.

ADEPS PRÆPARATA.

Adeps suilla præparata, P. L. 1787.

48 PRÆPARATA ET COMPOSITA.

ÆTHER RECTIFICATUS.

Æther vitriolicus, P. L. 1787.

DOSIS, *a minim. xx ad lx bis, ter, sæpiusve quotidie.*

ÆTHER SULPHURICUS.

Spiritus Ætheris vitriolici, P. L. 1787.

DOSIS, *a minim. xx ad lx bis, ter, sæpiusve quotidie.*

ALUMEN EXSICCATUM.

Alumen ustum, P. L. 1787.

AMMONIÆ SUBCARBONAS.

Ammonia præparata, P. L. 1787.

DOSIS, *a gr. iij ad x bis, ter, sæpiusve quotidie in quovis vehiculo idoneo solutis.—Vide Julepum.*

ANTIMONII SULPHURETUM PRECIPITATUM.

DOSIS, *a gr. ij ad v ter, quaterve quotidie.*

PRÆPARATA ET COMPOSITA. 49

ANTIMONII SULPHURETUM PRÆPARATUM.

Antimonium præparatum, P. L. 1787.

Dosis, a gr. xv ad lx bis quotidie.

ANTIMONIUM TARTARIZATUM.

Dosis, a gr. $\frac{1}{4}$ ad $\frac{1}{2}$ s mel, bis, ter, sæpiusve quotidie; vel ad vomitum ciendum a gr j ad v.
—Vide Liquor, et Unguentum.

AQUA ANETHI.

AQUA CASSIÆ.

℞ Cassiæ Florum nondum explicatorum libr. j,
Aquæ oct. j.

Macera per horas viginti et quatuor, tum adjice aquæ quantum sufficiat ad præcavendum empyreuma. Distillet congius.

AQUA DISTILLATA.

AQUA MENTHÆ PIPERITÆ.

Aqua Menthæ piperitidis, P. L. 1787.

50 PRÆPARATA ET COMPOSITA.

AQUA MENTHÆ VIRIDIS.

Aqua Menthæ sativæ, P. L. 1787.

AQUA PIMENTÆ.

AQUA PULEGII.

AQUA ROSÆ.

Hæ Aquæ distillatæ fere pro aliorum medicaminum vehiculo, raro per se exhibentur.

Dosis, *fluidunc. j vel ij.*

ARGENTI NITRAS.

Argentum nitratum, P. L. 1787.

Servetur etiam in crystallis. *Horum sit Dosis gr. j, et gradatim augeatur ad gr. x bis, vel ter quotidie.*

ARSENICI OXYDUM SUBLIMATUM.

Arsenicum album *vulgo.*

Non detur nisi solutum.—*Vide Liquor, et Solutio.*

PRÆPARATA ET COMPOSITA. 51

BISMUTHI OXYDUM.

℞ Acidi nitrici fluidunc. j,
Aquæ distillatæ fluidunc. ij.

Misce, et misturæ balneo arenæ positæ immitte Bismuthi frustula, quamdiu prodierit vapor rubeus. Oxydum album præcipitatum affusa aqua ablue, et exsicca.

Dosis, gr. v bis, terve quotidie.—*Vide Pulvis.*

BOLUS ALUMINIS.

℞ Aluminis contriti gr. lxxx,
Confectionis Aurantiorum Corticis unc. j.

Misce, et fiant Boli xvj.

Dosis, j vel ij bis, ter, sæpiusve quotidie.

BOLUS CAMBOGIÆ.

℞ Cambogiæ Gummi-resinæ contritæ gr. x,
Potassæ Supertartratis gr. xx,
Zingiberis Radicis contritæ gr. iij,
Syrupi simplicis quantum sufficiat, ut fiat
Bolus semel in die sumendus.

52 PRÆPARATA ET COMPOSITA.

BOLUS CAMPHORÆ.

℞ Camphoræ, Spiritus rectificati pauxillo
contritæ,
Confectionis Rosæ caninæ, singulorum gr.
vj.

Misce. Fiat Bolus *quarta, vel sexta quaque
hora sumendus.*

BOLUS CATECHU OPIATUS.

℞ Catechu Extracti contriti gr. xx,
Pulveris Confectionis Opii gr. vj,
Syrupi simplicis quantum sufficiat, ut fiat
Bolus, *bis, ter, sæpiusve quotidie sumendus.*

BOLUS FERRI.

℞ Ferri Subcarbonatis,
Pulveris Pimentæ compositi, singulorum
gr. v,
Confectionis Aurantiorum quantum suffi-
ciat, ut fiat Bolus *bis, vel ter quotidie degluti-
endus.*

PRÆPARATA ET COMPOSITA. 53

BOLUS GUAIIACI.

℞ Guaiaci Resinæ gr. xv,
Confectionis Rosæ caninæ quantum suffi-
ciat, ut fiat Bolus *semel, bis, sæpiusve quotidie*
sumendus.

BOLUS GUAIIACI COMPOSITUS.

℞ Guaiaci Resinæ dr. iss,
Ipecacuanhæ Radicis contritæ,
Opii contriti, singulorum gr. vj,
Confectionis Rosæ caninæ quantum suffi-
ciat, ut fiant Boli vj.

Capiatur j semel, bis, vel ter quotidie.

BOLUS MYRRHÆ.

℞ Myrrhæ contritæ gr. xv,
Confectionis Aurantiorum quantum suf-
ficiat, ut fiat Bolus, *bis, ter, quaterve quotidie*
sumendus.

54 PRÆPARATA ET COMPOSITA.

BOLUS RHEI OPIATUS.

℞ Rhei Radicis contritæ gr. xv,
Pulveris Cretæ compositi cum Opio gr. x,
Syrupi Zingiberis quantum sufficiat, ut
fiat Bolus *nocte sumendus*.

BOLUS SPONGIÆ USTÆ.

℞ Spongiæ ustæ gr. xx,
Confectionis Aurantiorum quantum suffi-
ciat, ut fiat Bolus *bis, ter, quaterve quotidie*
sumendus.

BOLUS STANNI.

℞ Stanni Limaturæ unc. ss,
Pulveris Tragacanthæ compositi dr. ss,
Syrupi simplicis quantum sufficiat, ut fiant
Boli iij.
Dosis, *ab j ad iij bis quotidie*.

CALAMINA PRÆPARATA.

Lapis Calaminaris, P. L. 1787.

CATAPLASMA ALUMINIS.

Coagulum Aluminis, P. L. 1787.

℞ Ovi unius pluriumve Albumen.

Agita cum frusto Aluminis donec fiat
Coagulum.

CATAPLASMA BYNES.

℞ Bynes Farinæ quantum velis,
Cerevisiæ Fermenti quantum sufficiat, ut
fiat Cataplasma *tepidum applicandum*.

CATAPLASMA CARBONIS LIGNI.

℞ Carbonis Ligni in pulvrem tenuem con-
triti quantum sufficiat.

Immisceatur Cataplasmati simplici tepido,
et bis, ter, sæpiusve quotidie apponatur.

CATAPLASMA CONII.

℞ Conii Foliorum exsicicatorum unc. j,
Aquæ oct. iss.

56 PRÆPARATA ET COMPOSITA.

Decoque ad oct j, et liquori colato adde

Pulveris pro Cataplasmate quantum sufficiat, ut fiat Cataplasma *tepidum applicandum bis, terve quotidie.*

CATAPLASMA CUMINI.

℞ Cumini Seminum lib j,
Lauri Baccarum unc. iij,
Absinthii exsiccati unc. vj,
Pimentæ Baccarum unc. j.

Omnia simul tere in pulverem, et addito triplo Theriacæ pondere fiat Cataplasma.

CATAPLASMA DAUCI.

℞ Dauci hortensis Radicis quantum velis.

Radicem in Aqua coque, donec mollescat ;
tum fiat Cataplasma *bis, ter, sæpiusve quotidie apponendum.*

CATAPLASMA FÆCULÆ CEREVISIÆ.

℞ Fæculæ Cerevisiæ quantum velis,
Avenæ Farinæ quantum sufficiat, ut fiat
Cataplasma *frigidum applicandum bis, terve quotidie.*

PRÆPARATA ET COMPOSITA. 57

CATAPLASMA FERMENTI CEREVISIÆ.

℞ Fermenti Cerevisiæ quantum velis,
Pulveris pro Cataplasmate quantum sufficiat.

Misce, et *frigidum applicetur bis, terve quotidie.*

CATAPLASMA NAPI.

℞ Napi Radicis, Cortice rejecto, quantum velis.

Radicem in Aqua coque donec mollescat ;
ut fiat Cataplasma *tepidum applicandum bis, et terve quotidie.*

CATAPLASMA SIMPLEX.

℞ Pulveris pro Cataplasmate quantum velis,
Aquæ ferventis quantum sufficiat, ut fiat
Cataplasma tepidum, et Olei Olivæ pauxillo
prius munitum, *bis, terve quotidie applicandum.*

58 PRÆPARATA ET COMPOSITA.

CATAPLASMA SINAPIS.

Cataplasmatidis simplicis crassioris tepidi superficiei inspergatur Sinapis Farina, et statim apponatur.

CERATUM CALAMINÆ.

Ceratum Lapidis Calaminaris, P. L. 1787.

CERATUM LYTTÆ.

Ceratum Cantharidis, P. L. 1787.

CERATUM CETACEI.

Ceratum Spermatidis Ceti, P. L. 1787.

CERATUM PLUMBI COMPOSITUM.

Ceratum Lithargyri acetati compositum, P. L. 1787.

CERATUM PLUMBI CUM GALLA.

℞ Plumbi Superacetatis drach. j,
Cerae flavæ,
Sevi præparati, singulorum unc. j,
Olei Olivæ fluidunc. iij,
Gallarum in pulverem tenuem contritarum
dr. iiss.

PRÆPARATA ET COMPOSITA. 59

Ceram cum Sevo in Olei fluidunciis duabus
liqua ; tum his adjice paulatim Plumbi Super-
acetatem cum reliquo Oleo separatim contri-
tam ; spatha lignea move, et paulo antequam
refrignerint adde Gallas.

CERATUM PLUMBI SUPERACETATIS.

Unguentum Cerussæ acetatæ, P. L. 1787.

CERATUM RESINÆ.

Unguentum Resinæ flavæ, P. L. 1787.

CERATUM SABINÆ.

CERATUM SAPONIS.

CERATUM SIMPLEX.

COLLYRIUM ALUMINIS.

\mathfrak{R} Aluminis gr. xx,
Aquæ distillatæ fluidunc. vj.
Solve.

60 PRÆPARATA ET COMPOSITA.

COLLYRIUM ZINCI CAMPHORATUM.

R̄ Zinci Sulphatis gr. xx,
Spiritus Camphoræ fluidr. j,
Aquæ distillatæ fluidunc. viij.

Zinci Sulphati in Aqua solutæ Spiritum
adde; tum misturam bene agita, et per char-
tam cola.

CONFECTIO AMYGDALARUM.

Dosis.—*Vide Mistura.*

CONFECTIO AURANTIORUM.

Conserva Aurantii, P. L. 1787.

Dosis, a dr j ad ij bis, ter, quaterve quotidie.

CONFECTIO OPII.

Confectio opiata, P. L. 1787.

Dosis, a gr. iij ad xxx semel, bis, sæpiusve
quotidie. (Continet Opii fere $\frac{1}{36}$).

PRÆPARATA ET COMPOSITA. 61

CONFECTIO ROSÆ CANINÆ.

Conserva Cynosbati, P. L. 1787.

CONFECTIO ROSÆ GALLICÆ.

Conserva Rosæ rubræ, P. L. 1787.

℞ Rosæ gallicæ Petalorum nondum explicatorum, abjectis unguibus et exsiccatorum unc. viij,
Sacchari purificati contriti lib. viij,
Aquæ fluidunc. xx.

Petalis Rosæ contritis, et Saccharo commistis Aquam adjice, et simul contere.

Dosis, *a dr. j ad ij ter, quaterve quotidie; vel ad libitum.*

(Continet Rosæ exsiccatae fere $\frac{1}{3}$).

CONFECTIO SENNÆ.

Electuarium Sennæ, P. L. 1787.

Dosis, *a dr. j ad ij pro re nata.*

62 PRÆPARATA ET COMPOSITA.

CONFECTIO SENNÆ COMPOSITA.

℞ Sulphuris sublimati,
Potassæ Sulphatis contritæ, singulorum
unc. ss.
Confectionis Sennæ unc. ij,
Syrupi simplicis quantum sufficiat.

Misce.

Dosis, a dr. j ad ij pro re nata.

CORNU USTUM.

Cornu Cervi ustum, P. L. 1787.

Dosis, a dr. ss ad dr. j bis, ter, quaterve
quotidie.

CRETA PRÆPARATA.

Dosis, a gr. xx ad lx bis, ter, sæpiusve quo-
tidie.—Vide Pulvis cretaceus.

CUPRUM AMMONIATUM.

Cuprum ammoniacale, P. L. 1787.

Dosis, a gr. $\frac{1}{2}$ ad gr v bis, vel ter quotidie.
—Vide Pilulæ.

DECOCTUM ALOES COMPOSITUM.

Dosis, *a fluidr. ij ad xij semel, vel bis quotidie, vel pro re nata.*

DECOCTUM CINCHONÆ, VEL CORDI-FOLIÆ, VEL LANCIFOLIÆ, VEL OBLONGIFOLIÆ.

Dosis, *a fluidunc. j ad iv bis, ter, sæpiusve quotidie;*

Singulis dosibus pro re nata additis, vel
Tincturæ Cinchonæ *simplicis*, vel compo-
sitæ fluidr. iss, vel

Acidi sulphurici diluti minim. xv, vel
Sodæ Subcarbonatis gr. xv.

DECOCTUM DULCAMARÆ.

Dosis, *a fluidunc. j ad ij ter quotidie ex Lacte novo.*

DECOCTUM GEOFFROYÆ.

℞ Geoffroyæ Corticis contusi unc. j,
Aquæ oct. ij.

Decoque ad oct. j, et liquori colato adde
Tincturæ Aurantiorum unc. iss.

Dosis, *a fluid. j ad ij ter quotidie.*

DECOCTUM GLYCYRRHIZÆ.

℞ Glycyrrhizæ Radicis contusæ unc. iss,
Aquæ oct. j.

Coque lento igne per sextam horæ partem,
et cola.

DECOCTUM GUAIACI COMPOSITUM.

℞ Guaiaci Ligni rasi unc. iij,
Sassafras Radicis concisæ dr. x,
Glycyrrhizæ Radicis contusæ unc. iiss,
Aquæ oct. x.

Guaiaci Lignum in Aqua lento igne decoque ad octarios quinque, sub finem coctionis adjecta primum Glycyrrhiza, deinde Sassafras; et liquorem cola.

Dosis, *fluidunc. iv tepidæ bis, ter, quaterve quotidie.*

DECOCTUM HÆMATOXYLI.

℞ Hæmatoxyli Ligni concisi unc. iss,
Cinnamomi Corticis contusi dr. j,
Aquæ oct. ij.

Hæmatoxyli Lignum ex Aquæ decoque ad oct. j, Cinnamomi Radice sub finem coctionis addita; dein cola.

PRÆPARATA ET COMPOSITA. 65

Dosis, *a fluidunc. j ad ij ter, sæpiusve quotidie prout occasio sit.*

DECOCTUM HORDEI.

Aqua hordeata, P. L. 1745.

Exhibeatur pro potu communi; et singulis octariis interdum adde, vel

Potassæ Nitratis dr. j, vel
Potassæ Supertartratis dr. j, vel
Acaciæ Gummi unc. ss, vel
Succi Limonum fluidunc. j, vel
Acidi sulphurici diluti fluidr. j; et singulis insuper pro re nata adjiciatur
Syrupi simplicis fluidunc. j.

DECOCTUM LINI.

℞ Lini usitatissimi Seminum leviter contusorum unc. iss,
Aquæ oct. iv.

Coque lento igne per horæ sextam partem, et cola.

Exhibeatur libere pro potu. Interdum injiciatur oct. j pro Enemate.

66 PRÆPARATA ET COMPOSITA.

DECOCTUM LINI COMPOSITUM.

℞ Decocti Lini oct. j,
Potassæ Nitratis dr. j,
Mannæ unc. j.

Solve, et *Solutionis cyathus subinde capiatur*.

DECOCTUM MEZEREI.

℞ Mezerei Radicis Corticis contusi dr. ij,
Glycyrrhizæ Radicis contusæ unc. j,
Aquæ oct. ij,

Mezereum in Aqua lento igne decoque ad octarium sub finem coctionis addens Glycyrrhizæ Radicem; dein cola.

Dosis, *a fluidunc. ij ad iv bis, vel ter quotidie*.

DECOCTUM PYROLÆ.

℞ Pyrolæ unc. j,
Aquæ oct. ij.

Macera per horas sex; dein Pyrolam exime, et contusam liquori redde. Infusionem per evaporationem redige ad colaturæ expressæ octarium.

Dosis, *fluidunc. ij ter, quaterve quotidie*.

DECOCTUM QUERCUS.

Dosis, *a fluidunc. j ad ij bis, ter, sæpiusve*
quotidie. Exhibeatur etiam pro Injectione intes-
tinuli vel uterina.

DECOCTUM RUBIÆ.

℞ Rubiæ Radicis contusæ unc j.
Aquæ oct. iss,

Decoque ad oct j. et cola.

Dosis, *fluidunc. iss bis, vel ter quotidie.*

DECOCTUM SARSAPARILLÆ.

Dosis, *Decocti tepidi a fluidunc. iv ad viij*
ter, quaterve quotidie.

DECOCTUM SARSAPARILLÆ COMPO-
SITUM.

Dosis, *Decocti tepidi fluidunc. iv ter, qua-*
terve quotidie.

68 PRÆPARATA ET COMPOSITA.

DECOCTUM SENEGÆ.

Liceat sub finem coctionis addere

Glycyrrhizæ Radicis contusæ unc. ss.

Dosis, *a fluidunc. j ad ij quartis, vel sextis
horis quotidie.*

DECOCTUM TARAXACI.

℞ Taraxaci recentis unc. iv,

Aquæ oct. ij,

Decoque ad oct. j; dein liquorem leniter
exprime, et cola.

Dosis, *fluidunc. ij ter, quaterve quotidie.*

DECOCTUM VERATRI.

Decoctum Hellebori albi, P. L. 1787.

DECOCTUM ULMI.

Dosis, *fluidunc. iv ter, quaterve quotidie, vel
ad libitum detur.*

ELECTUARIUM CINCHONÆ.

℞ Cinchonæ cordifoliæ Corticis contriti unc.
j,
Confectionis Rosæ gallicæ unc. ss,
Acidi sulphurici diluti fluidr. j,
Syrupi Aurantiorum fluidunc. iss.
Fiat Electuarium.
Dosis, dr. j ter, quaterve quotidie.

ELECTUARIUM CINCHONÆ CUM
FERRO.

℞ Cinchonæ oblongifoliæ Corticis contriti
unc. j,
Ferri Subcarbonatis dr. ss,
Syrupi Zingiberis quantum sufficiat, ut
fiat Electuarium.
Quantitas Myristicæ Nuclei bis, vel ter quo-
tidie detur.

ELECTUARIUM DOLICHI.

℞ Dolichi Pubium unc. ss.
Theriacæ quantum sufficiat, ut fiat Electu-
arium molle, *cujus cochleare medium singulis*
neuroris deglutiatur.

70 PRÆPARATA ET COMPOSITA.

ELECTUARIUM POTASSÆ NITRATIS.

℞ Potassæ Nitratis contritæ dr. iss,
Confectionis Rosæ gallicæ unc. j.

Misce.

Dosis, *Moles Myristicæ Nuclei subinde capiatur.*

ELECTUARIUM SCILLÆ COMPOSITUM.

℞ Oxymellis Scillæ fluidunc. ij,
Potassæ Supertartratis contritæ unc. iij,

Misce.

Dosis, *fluidr. ij ter, quaterve quotidie.*

ELECTUARIUM SENNÆ COMPOSITUM.

℞ Sennæ Foliorum,
Potassæ Supertartratis, singulorum contritorum dr. iv,
Jalapæ Radicis contritæ dr. ij,
Syrupi Zingiberis fluidunc. iss.

Misce.

Dosis, *a dr. j ad ij pro re nata.*

PRÆPARATA ET COMPOSITA. 71

ELECTUARIUM SINAPIS.

℞ Sinapis Seminum leviter contusorum unc.

j,

Sulphuris sublimati dr. ij.

Syrupi Aurantiorum fluidunc. j.

Fiat Electuarium.

Dosis, dr. j ter, quaterve quotidie.

ELECTUARIUM SULPHURIS COMPOSITUM.

℞ Sulphuris sublimati unc. j,

Potassæ Supertartratis contritæ unc. ss,

Theriacæ unc. ij.

Misce.

Dosis, cochleare minimum semel, vel bis
quotidie.

EMBROCATIO ACETI SPIRITUOSA.

℞ Aceti oct. j,

Spiritus tenuioris oct. ss,

Misce.

72 PRÆPARATA ET COMPOSITA.

EMBROCATIO COMMUNIS.

℞ Ammoniæ Subcarbonatis unc. iv,
Aceti oct. viss, vel quantum sufficiat ad
Ammoniam saturandam,
Spiritus tenuioris oct. iij.

Ammoniæ Subcarbonatem cum Aceto misce,
et peracta effervescentia, adde Spiritum.

EMPLASTRUM AMMONIACI.

℞ Ammoniaci purificati unc. vij,
Aceti Scillæ fluidunc. ij.

Simul contunde.

EMPLASTRUM AMMONIACI CUM HY- DRARGYRO.

EMPLASTRUM AMMONIÆ.

℞ Ammoniæ Muriatis unc. ss,
Saponis duri unc. j,
Emplastri Plumbi unc. ij.

Emplastrum et Saponem simul liqua, et
paulo antequam concrecant immisce Salem
in pulverem tenuem tritum.

Extensum super alutam parti affectæ quamprimum applicetur, et pro re nata repetatur.

PRÆPARATA ET COMPOSITA 73

EMPLASTRUM CERÆ

Emplastrum Cera compositum, P. L. 1767.

EMPLASTRUM CUMINI

EMPLASTRUM EUPHORBII

R. Emplastrum Picæ area unctum,
Euphorbii Gummi-resina contra drach.
Emplastrum cum igne pro Aquaductu in-
sperge Euphorbium, et fiat Emplastrum.

EMPLASTRUM GALLBANI COMPOSITUM

Emplastrum Galbani compositum, P. L. 1767.

EMPLASTRUM HYDRARGYRI

Emplastrum Galbani cum Hydrargyro,
P. L. 1767.

74 PRÆPARATA ET COMPOSITA.

EMPLASTRUM LYTTÆ.

Emplastrum Cantharidis, P. L. 1787.

Vel hujus Emplastri vice, parti affectæ applicetur Emplastrum Resinæ super alutam extensum, cujus superficies primum inspergata fuerit Lyttis in pulverem tenuissimum tritis.

EMPLASTRUM OPII.

Emplastri Ceræ super alutam extensi superficies tegatur Extracto Opii aqua emollito.

EMPLASTRUM PICIS ARIDÆ.

℞ Picis aridæ unc. vj,
Ceræ flavæ unc. ss,
Terebinthinæ vulgaris dr. j.
Liquefac simul, et fiat Emplastrum.

EMPLASTRUM PICIS NIGRÆ.

Fiat e Resina nigra eodem modo ac Emplastrum Picis aridæ.

EMPLASTRUM PLUMBI.

Emplastrum Lithargyri, P. L. 1787.

PRÆPARATA ET COMPOSITA. 75

EMPLASTRUM RESINÆ.

Emplastrum Lithargyri cum Resina, P. L. 1787.

EMPLASTRUM SAPONIS.

EMPLASTRUM SEVI COMPOSITUM.

℞ Sevi præparati,
Ceræ flavæ,
Resinæ flavæ, singulorum lib. j.
Liquefac simul, et cola.

ENEMA COLOCYNTHIDIS COMPOSITUM.

℞ Colocynthis Pulpæ incisæ dr. j,
Aquæ fluidunc. xij,
Coque paulisper, et cola ; dein adde
Sodæ Muriatis unc. ss,
Syrupi Rhamni fluidunc. ss.
Misce.

ENEMA COMMUNE.

℞ Decocti Avenæ tepidi fluidunc. xij,
Sodæ Muriatis unc. j.
Fiat Enema.

76 PRÆPARATA ET COMPOSITA.

ENEMA GALLÆ OPIATUM.

℞ Fomenti Gallæ fluidunc. viij,
Tincturæ Opii fluidr. j.

Misce.

ENEMA OLEI TEREBINTHINÆ.

℞ Olei Terebinthinæ fluidunc. ss,
Ovi unius Vitellum.
Tere simul, et gradatim adde
Decocti Hordei tepidi fluidunc. x.

Injiciatur pro Enemate semel in die pro re nata.

ENEMA OPII.

℞ Tincturæ Opii fluidr. j,
Aquæ tepidæ fluidunc. vj.

Misce.

ENEMA OLEI RICINI.

℞ Olei Ricini,
Mellis, singulorum fluidunc. j.
Tere simul, et adde
Decocti Avenæ tepidi fluidunc. x.
Fiat Enema.

ENEMA SIMPLEX.

Fiat ex Decocti Hordei, Lini, vel Avenæ
tepidi fluidunc. xvj.

ENEMA TEREBINTHINÆ.

℞ Terebinthinæ vulgaris unc. ss,
Ovi unius Vitellum.
Probe commistis, adde
Decocti Lini tepidi fluidunc. x, ut fiat
Enema.

EXTRACTUM ACONITI.

Dosis, a gr. j ad v pro re nata.

EXTRACTUM ALOES COMPOSITUM.

℞ Aloes spicatæ Extracti lib. j,
Zingiberis Radicis concisæ unc. vj,
Aquæ ferventis cong. j.
Macera per triduum leni calore; dein cola.
Liquorem defæcatum consume, donec idone-
am habeat crassitudinem; additis sub finem
evaporationis
Sodæ Subcarbonatis unc. ij.

78 PRÆPARATA ET COMPOSITA.

DOSIS, *a gr. x ad xxx sub forma Pilularum pro re nata.*

EXTRACTUM ANTHEMIDIS.

Extractum Chamæmeli, P. L. 1787.

DOSIS, *gr. v ad-xxx bis, terve quotidie.*

EXTRACTUM BELLADONNÆ.

DOSIS, *a gr. $\frac{1}{2}$ ad gr. iij semel, bis, sæpiusve quotidie.*

EXTRACTUM CASCARILLÆ.

℞ Cascarillæ Corticis contriti lib. j,
Spiritus rectificati oct. iv,
Aquæ oct. x.

Cascarillæ Corticem in Spiritu macera per septimanam, et Tincturam effunde. Residuum in Aqua decoque ad octarios duos. Tincturam dein, et decoctum separatim cola, et hoc balneo aquoso vaporet, illa distilletur, donec utrinque spissescat. Postremo Extractum Resinæ immisce, et consume donec idoneam crassitudinem habeat.

DOSIS, *gr. iij ad x bis, sæpiusve quotidie.*

PRÆPARATA ET COMPOSITA. 79

EXTRACTUM CINCHONÆ.

Dosis, *a gr. x ad xxx bis, ter, sæpiusve quotidie.*

Eodem modo, ac Extractum Cinchonæ parentur

EXTRACTA CINCHONÆ CORDIFOLIÆ, ET OBLONGIFOLIÆ,

Et simili Dosi exhibeantur.

EXTRACTUM CINCHONÆ RESINOSUM.

Dosis, *a gr. x ad xxx bis, ter, sæpiusve quotidie.*

EXTRACTUM COLOCYNTHIDIS.

EXTRACTUM COLOCYNTHIDIS COMPOSITUM.

Singulorum Dosis, *a gr. v ad xxx pro re nata.*

50 PRÆPARATA ET COMPOSITA.

EXTRACTUM CONII.

Succus Cicutæ spissatus, P. L. 1787. Extractum
Cicutæ vulgo.

Dosis, a gr. v ad xx bis, ter, sæpiusve quoti-
die.—Vide Pilulæ.

EXTRACTUM ELATERII.

Elaterium, P. L. 1787.

Dosis, a gr. $\frac{1}{8}$ ad gr. j.—Vide Pulvis com-
positus.

EXTRACTUM GENTIANÆ.

Dosis, a gr. iij ad x bis, ter, sæpiusve quoti-
die.

EXTRACTUM HÆMATOXYLI.

Extractum Ligni campechensis, P. L. 1745.

Dosis, a gr. x ad xxx bis, ter, sæpiusve quo-
tidie.

PRÆPARATA ET COMPOSITA. 81

EXTRACTUM HUMULI.

DOSIS, a gr. v ad xx semel, bis, sæpiusve
quotidie.

EXTRACTUM HYOSCYAMI.

DOSIS, a gr. iij ad xx semel, bis, sæpiusve
quotidie.

EXTRACTUM JALAPÆ.

DOSIS, a gr. x ad xv sub forma Pilularum
pro re nata.

EXTRACTUM NUCIS VOMICÆ.

Fiat e Nuce vomica minutim rasa eodem
modo, quo de Extracto Cascarillæ præceptum
est.

DOSIS, a gr. $\frac{1}{2}$ ad gr. ij bis, ter, quaterve
quotidie.

EXTRACTUM OPII.

DOSIS, a gr. $\frac{1}{8}$ ad gr. ij vel plura semel, bis,
sæpiusve quotidie.

82 PRÆPARATA ET COMPOSITA.

EXTRACTUM PAPAVERIS.

Dosis, a gr. v ad xx semel, bis, sæpiusve quotidie.

EXTRACTUM PYROLÆ.

℞ Pyrolæ lib. iij,
Aquæ cong. j.

Macera per horas duodecim; dein Pyrolam exime, contusam liquori redde, et lento igne coque per horas duas. Decoctum illico fortiter exprime, et per evaporationem balneo aquoso redige ad idoneam crassitudinem.

Dosis, a gr. x ad xx ter, quaterve quotidie.

EXTRACTUM STRAMONII.

℞ Stramonii Seminum contusorum lib. j,
Aquæ cong. j.

Macera balneo aquoso in vase leviter clauso per horas quatuor, et cola. Seminibus statim affunde Aquæ ferventis octarios quatuor, et post similem per horas duas macerationem cola. Liquores misce, et sepone per horas

PRÆPARATA ET COMPOSITA. 83

duodecim, ut fæces penitus subsidant. Li-
quorem defæcatum, oleo supernatante dili-
genter prius amoto, itidem in patina con-
sume, donec idoneam spissitudinem præbeat.

Dosis, a gr. $\frac{1}{4}$ ad gr. ij *semel, bis, sæpiusve*
quotidie.

EXTRACTUM TARAXACI.

Dosis, a gr. xx ad lx *ter, quaterve* *quotidie.*

FERRUM AMMONIATUM.

Ferrum ammoniacale, P. L. 1787.

Dosis, a gr. ij ad xx *bis, vel ter* *quotidie.*

FERRI SUBCARBONAS.

Dosis, a gr. ij ad x *bis, terve* *quotidie.*

FERRI SULPHAS.

Ferrum vitriolatum, P. L. 1787.

Dosis, a gr. $\frac{1}{2}$ ad gr. v *bis, terve* *quotidie.*

84 PRÆPARATA ET COMPOSITA.

FERRUM TARTARIZATUM.

Dosis, a gr. iij ad x bis, vel ter quotidie.

FOMENTUM CONII COMPOSITUM.

℞ Conii Foliorum exsiccatorum unc. ij,
Anthemidis Florum exsiccatorum unc. ss,
Aquæ ferventis oct. ij.

Macera per horas duas, et liquorem in usum
exprime.

FOMENTUM DIGITALIS.

℞ Digitalis Foliorum exsiccatorum unc. j,
Aquæ ferventis oct. ij.

Macera per horas duas, et liquorem ex-
prime.

FOMENTUM GALLÆ.

℞ Gallarum contusarum unc. ss,
Aquæ oct. iiss.

Decoque ad oct. ij, et liquorem cola.

PRÆPARATA ET COMPOSITA. 85

FOMENTUM PAPAVERIS.

℞ Papaveris Capsularum unc. iv,
Aquæ oct. v.

Capsulas concisas, et contusas in Aqua lento igne coque ad liquoris expressi oct. ij.

GARGARISMA ÆRUGINIS.

℞ Linimenti Æruginis fluidunc. ss,
Mellis Rosæ fluidunc. ij,
Decocti Lini fluidunc. iiss.

Misce.

GARGARISMA ALUMINIS.

℞ Aluminis dr. j,
Decocti Cinchonæ cordifoliæ oct. j,
Mellis Rosæ fluidunc. iss.

Alumini in Decocto Cinchonæ soluto adde Mel.

GARGARISMA SIMPLEX.

℞ Aceti fluidunc. ij,
Decocti Hordei oct. j,
Mellis Rosæ fluidunc. j.

Misce.

86 PRÆPARATA ET COMPOSITA.

GARGARISMA SODÆ SUBBORATIS.

℞ Sodæ Subboratis dr. ij,
Mellis Rosæ fluidunc. j,
Decocti Hordei fluidunc. vij.

Mel et Sodæ Subboratem in Decocto solve.

HAUSTUS CAMPHORÆ.

℞ Camphoræ, Spiritus rectificati pauxillo,
contritæ gr. v,
Sacchari purificati dr. j,
Mucilaginis Acaciæ fluidr. iij,
Aquæ fluidunc. iss.

Misce, fiat Haustus *quartis, sextis, vel octavis horis sumendus*; pro re nata additis

Mithridatii gr. xx.

HAUSTUS IPECACUANHÆ CUM ANTI-MONIO.

Haustus emeticus *vulgo*.

℞ Vini Ipecacuanhæ fluidr. vj,
Liquoris Antimonii tartarizati fluidr. ij.
Misce.

PRÆPARATA ET COMPOSITA. 87

HAUSTUS OPIATUS.

℞ Tinctura Opii minim. xx,
Julepi Menthæ fluidunc. j.
Misce, fiat Haustus *hora somni sumendus*.

HAUSTUS POTASSÆ CITRATIS.

Haustus salinus, vulgo.

℞ Julepi Potassæ Subcarbonatis,
Julepi Limonum Succī, singulorum fluid-
unc. j.

Misce, *et effervescens detur quarta, vel sexta
quaque hora*; singulis dosibus interdum addita
Tincturæ Calumbæ fluidr. ss.

HYDRARGYRUM PURIFICATUM.

Dosis, *ab unc. j ad ij pro re nata*.

HYDRARGYRUM CUM CRETA.

Dosis, *a gr. iij ad x semel, bis, sæpiusve
quotidie*. (Gr. iv continent Hydrargyri gr. $i\frac{1}{2}$).

§§ PRÆPARATA ET COMPOSITA.

HYDRARGYRI NITRICO-OXYDUM.

Hydrargyrus nitratus ruber, P. L. 1787.

HYDRARGYRI-OXYDUM CINEREUM.

Dosis, a gr. j ad v semel, bis, sæpiusve quotidie.

HYDRARGYRI OXYDUM RUBRUM.

Dosis, a gr. ss ad gr. j cum Opii grano, semel, vel bis quotidie.

HYDRARGYRI OXYMURIAS.

Hydrargyri Murias, P. L. 1787. Mercurius corrosivus sublimatus, P. L. 1745.

Dosis, a gr. $\frac{1}{16}$ ad gr. j semel, vel bis quotidie.—Vide Liquor.

HYDRARGYRUM PRÆCIPITATUM ALBUM.

Calx Hydrargyri alba, P. L. 1787.

PRÆPARATA ET COMPOSITA. 89

HYDRARGYRI SUBMURIAS.

Calomel, P. L. 1787.

Dosis, *a gr. ss ad gr. v semel, bis, sæpiusve quotidie; vel a gr. v ad xx pro re nata.*

HYDRARGYRI SUBSULPHAS FLAVA.

℞ Hydrargyri purificati unc. ij,
Acidi sulphurici unc. iij.

Indentur vase vitreo (*Anglice Florence flask*),
et coquantur ex balneo arenæ ad siccitatem.
Materia alba, in fundo relictæ, trita, conjiciatur in Aquam bullientem. Pulvis flavus
inde ortus aqua calida sæpius lavetur, donec
saporis expers erit.

Dosis, *gr. vij ad vomitum ciendum; vel a
gr. $\frac{1}{4}$ ad $\frac{1}{2}$ naribus hauriatur semel, vel bis quo-
tidie ex pulvere quovis idoneo.*

HYDRARGYRI SULPHURETUM NI- GRUM.

Hydrargyrus cum Sulphure, P. L. 1787.

Dosis, *a scrup. j ad dr. j semel, vel bis
quotidie.*

90 PRÆPARATA ET COMPOSITA.

HYDRARGYRI SULPHURETUM RUBRUM.

INFUSUM ANTHEMIDIS.

Dosis, *ab unc. j ad ij bis, ter, quaterve quotidie*. Singulis octariis interdum adde, vel

Potassæ Carbonatis dr. iiss, vel
Tincturæ Aurantii fluidunc. ij, vel
Zingiberis Radicis contritæ dr. j.

INFUSUM ARMORACIÆ COMPOSITUM.

Dosis, *fluidunc. iss ter, quaterve quotidie*; singulis octariis interdum additis

Spiritus Juniperi compositi fluidunc. ij.

INFUSUM AURANTII COMPOSITUM.

Dosis, *fluidunc. iss bis, ter, quaterve quotidie*.

INFUSUM CALUMBÆ.

Dosis, *fluidunc. j ad ij bis, vel ter quotidie*.

PRÆPARATA ET COMPOSITA. 91

INFUSUM CARYOPHYLLORUM.

DOSIS, *a fluidunc. j ad ij bis, ter, quaterve
quotidie.*

INFUSUM CASCARILLÆ.

DOSIS, *a fluidunc. j ad ij bis, ter, quaterve
quotidie.*

INFUSUM CATECHU COMPOSITUM.

DOSIS, *a fluidunc. j ad ij bis, ter, sæpiusve
quotidie urgentibus alvi dejectionibus.*

INFUSUM CINCHONÆ, VEL CORDIFO-
LIÆ, VEL LANCIFOLIÆ, VEL OB-
LONGIFOLIÆ.

DOSIS, *a fluidunc. j ad iv bis, ter, sæpiusve
quotidie.*

INFUSUM CINCHONÆ FRIGIDUM.

℞ Cinchonæ cordifoliæ Corticis contriti
unc. j,
Aquæ oct. j.

92 PRÆPARATA ET COMPOSITA.

Simul tere in mortario marmoreo pistillo ligneo per horæ quadrantem ; dein macera subinde agitans per horas sex : denique cola, et adde

Tincturæ Cinchonæ cordifoliæ fluidunc.
iss.

Dosis, *a fluidunc. j ad ij bis, ter, sæpiusve*
quotidie.

INFUSUM CONII.

℞ Conii Foliorum exsiccatorum,
Coriandri Seminum contusorum, singulo-
rum dr. ij,

Aquæ ferventis fluidunc. viij.

Macera per horas duas, et cola.

Dosis, *a fluidunc. j ad ij bis, ter, sæpiusve*
quotidie.

INFUSUM CUSPARIÆ.

Dosis, *a fluidunc. j ad ij bis, ter, sæpiusve*
quotidie; singulis dosibus pro re nata additis

Pulveris Confectionis aromaticæ gr. xx.

PRÆPARATA ET COMPOSITA. 93

INFUSUM DIGITALIS.

Dosis, *a fluidunc. ss ad fluidunc. j bis, ter, saepiusve quotidie.*

INFUSUM GENTIANÆ COMPOSITUM.

Dosis, *a fluidunc. j ad iss bis, vel ter quotidie.*

INFUSUM JUNIPERI.

℞ Juniperi Baccarum contusarum unc. ij,
Aquæ ferventis oct. j.

Macera in vase operto per horas duas, et
cola; dein adde

Spiritus Juniperi compositi fluidunc. j, et
insuper pro re nata

Potassæ Supertartratis dr j.

Dosis, *fluidunc. ij ter, quaterve quotidie.*

Sit interdum pro potu communi.

94 PRÆPARATA ET COMPOSITA.

INFUSUM MENTHÆ.

℞ Menthæ viridis recentis unc. ij,
Aquæ ferventis oct. j.

Macera in vase operto per horæ quadrantem, et liquorem cola.

Exhibeatur pro potu communi.

INFUSUM MENTHÆ COMPOSITUM.

℞ Menthæ viridis exsiccatae unc. iss,
Rosæ Gallicæ Petalorum exsiccatorum
dr. j,
Aquæ ferventis oct j,
Acidi sulphurici diluti fluidr. ij,
Sacchari purificati unc. iss.

Menthæ et Rosæ Petalis superinfunde
Aquam cum Acido mistam, et macera in vase
operto per horam dimidiam. Liquorem ef-
funde, et Saccharum adjice.

DOSIS, *a fluidunc. j ad ij bis, ter, sæpiusve
quotidie.*

INFUSUM QUASSIÆ.

Dosis, *fluidunc. j bis, vel ter quotidie*: et
singulis dosibus pro re nata adde, vel

Sodæ Subcarbonatis gr. xij, vel

Potassæ Carbonatis gr. xv, vel

Liquoris Potassæ Acetatis fluidr. j, vel

Tincturæ Aurantii fluidr. j.

INFUSUM RHEI.

Dosis, *a fluidunc. j ad ij semel, vel bis quotidie*.

INFUSUM ROSÆ.

*Sit interdum pro potu communi; interdum
sit dosis a fluidunc. ij ad iv bis, ter sæpiusve
quotidie.* Singulis dosibus pro re nata adde

Magnesiæ Sulphatis dr. j, vel

Potassæ Nitratis gr. xv, vel

Zinci Sulphatis gr. j, vel

Singulis octariis pro Gargarismate

Tincturæ Myrrhæ fluidunc. j.

96 PRÆPARATA ET COMPOSITA.

INFUSUM SENNÆ.

Dosis, *a fluidunc. ij ad iv pro re nata*; his interdum additis, vel

Potassæ Tartratis dr. iij, vel
Sodæ tartarizatæ dr. iv, vel
Magnesiæ Sulphatis dr. iv, vel
Tincturæ Sennæ fluidr. iv.

INFUSUM SERPENTARIÆ COMPOSITUM.

℞ Serpentariæ Radicis,
Contrajervæ Radicis, singularum contu-
sarum unc. ss,
Aquæ ferventis oct. j.

Post macerationem in vase operto per duas horas liquorem cola, et adde

Tincturæ Serpentariæ fluidunc. ij.

Dosis, *fluidunc. iss quartis vel sextis horis*; singulis dosibus pro re nata additis

Liquoris Ammoniaë Acetatis fluidr. iv, vel
Liquoris Ammoniaë Subcarbonatis min. xx.

PRÆPARATA ET COMPOSITA. 97

INFUSUM SIMAROUBÆ.

Fiat cum Corticis unc. ss ad Aquæ oct. j.

Dosis, a fluidunc. iss ad iv ter, quaterve
quotidie.

INFUSUM SPIGELIÆ.

℞ Spigeliæ Radicis unc. j,
Aquæ ferventis oct. j.

Macera in vase operto per horas duas, et
cola.

Dosis, a fluidunc. j ad ij bis, vel ter quo-
tidie.

INFUSUM TABACI.

Injiciantur fluidunc. viij pro Enemate, et
repetantur si sit occasio post horam elapsam.

INFUSUM VALERIANÆ.

℞ Valerianæ Radicis contusæ unc. j,
Aquæ ferventis oct. j.

98 PRÆPARATA ET COMPOSITA.

Macera in vase operto per horas duas, et liquori colato adde

Spiritus Lavandulæ compositi fluidunc. ss.

Dosis, *fluidunc. ij ter, quaterve quotidie.*

JULEPUM ACIDI MURIATICI.

℞ Acidi muriatici fluidr. j,

Aquæ oct. j,

Sacchari purificati unc. ss.

Misce.

Dosis, *a fluidunc. ij ad iv bis, ter, sæpiusve quotidie. Exhibeatur etiam pro Gargarismate.*

JULEPUM ACIDI NITRICI.

℞ Acidi nitrici fluidr. j,

Aquæ oct ij,

Sacchari purificati unc. j.

Misce.

Tubuli vitrei ope, et partitis vicibus, sumatur oct. j quotidie. Sit interdum pro Gargarismate, et omisso Saccharo pro Lotione.

JULEPUM ACIDI NITRO-MURIATICI.

℞ Acidi nitro-muriatici fluidr. j,
Aquæ oct. iss.

Misce.

Dosis, *fluidunc. ij ter quaterve quotidie. Sit interdum pro Lotione, Acido pro re nata aucto ad quadruplicem quantitatem usque.*

JULEPUM AMMONIÆ.

℞ Liquoris Ammoniæ Subcarbonatis fluidr.
iiss,
Julepi Menthæ compositi fluidunc. ix.

Misce.

Dosis, *fluidunc. iss bis, ter, sæpiusve quotidie : singulis dosibus pro re nata additis*

Magnesiæ Carbonatis gr. xx, vel
Pulveris Confectionis aromaticæ gr. xx,
vel

Liquoris Ammoniæ Acetatis fluidr. iv.

100 PRÆPARATA ET COMPOSITA.

JULEPUM AMMONIÆ ACETATIS.

Spiritus Mindereri vulgo.

℞ Liquoris Ammoniæ Acetatis,
Aquæ Menthæ viridis, singulorum partes
mensura æquales.

Misce.

*Dosis, fluidunc. j quarta vel sexta quaque
hora; singulis dosibus pro re nata additis*

Liquoris Antimonii tartarizati minim. xxx.

JULEPUM LIMONUM SUCCI.

℞ Limonum Succo,
Aquæ Menthæ viridis, singulorum partes
mensura æquales.

Misce.

*Dosis, fluidunc. j ex Decocto Hordei vel
Lini, Saccharo ad gratum saporem addito, ter,
quaterve quotidie.*

JULEPUM MENTHÆ.

℞ Aquæ Menthæ piperitæ oct. j,
Aquæ oct. ss.

Misce.

JULEPUM MENTHÆ COMPOSITUM.

℞ Julepi Menthæ oct. iss,
Spiritus Lavandulæ fluidr. iij,
Syrupi Aurantiorum fluidunc. iss.

Misce.

Dosis, *fluidunc. iss bis, ter, sæpiusve quotidie.*

JULEPUM OXYMELLIS COMPOSITUM.

℞ Oxymellis simplicis fluidunc. iij,
Potassæ Nitratis contritæ dr. iij,
Aquæ fluidunc. ix.

Misce.

Dosis, *fluidunc. j octavis, sextis, vel quartis horis. Exhibeatur etiam pro Gargarismatc.*

JULEPUM POTASSÆ CITRATIS.

Julepum salinum vulgo.

℞ Julepi Potassæ Subcarbonatis fluidunc.
viij,
Limonum Succii fluidunc. iv.

102 PRÆPARATA ET COMPOSITA.

Misce, et peracta effervescentia sit dosis fluidunc. iss octava, sexta, vel quarta quaque hora quotidie; singulis dosibus pro re nata additis

Liquoris Antimonii tartarizati minim. xxx,
vel

Tincturæ Calumbæ minim. xxx, vel
Liquoris Ammoniæ Subcarbonatis minim.
xv.

JULEPUM POTASSÆ NITRATIS.

℞ Potassæ Nitratis dr. iij,
Julepi Menthæ fluidunc. xss,
Spiritus Ætheris nitrici fluidr. iij,
Syrupi Limonum fluidunc. j.

Misce.

Dosis, fluidunc. j ter, quater, vel sexties
quotidie.

JULEPUM POTASSÆ SUBCARBONATIS.

℞ Solutionis Potassæ Subcarbonatis fluidr. vj,
Aquæ Menthæ viridis fluidunc. viiiss.

Misce.

Dosis, fluidunc. ss ad fluidunc. j ex Decocto
Hordei vel Lini bis, vel ter quotidie.

PRÆPARATA ET COMPOSITA. 103

LINCTUS OPIATUS.

℞ Syrupi Papaveris fluidunc. ij,
Mucilaginis Acaciæ fluidunc. j,
Confectionis Rosæ caninæ unc. j,
Acidi sulphurici diluti fluidr. ij.

Misce.

Dosis, *Cochleare minimum subinde.*

LINCTUS POTASSÆ NITRATIS.

℞ Potassæ Nitratis contritæ dr. iss,
Mellis Rosæ fluidunc. j,
Oxymellis simplicis fluidunc. ss.

Misce.

Dosis, *Cochleare minimum pro re nata.*

LINCTUS OLEOSUS.

℞ Olei Amygdalarum,
Syrupi Limonum, singulorum fluidunc. j,
Confectionis Rosæ caninæ unc. j,
Pulveris Tragacanthæ compositi dr. iij.

Misce.

Cochleare minimum subinde deglutiatur.

104 PRÆPARATA ET COMPOSITA.

LINIMENTUM ÆRUGINIS.

Oxymel Æruginis, P. L. 1787.

LINIMENTUM AMMONIÆ FORTIUS.

Huic Linimento interdum addatur
Olei Terebinthinæ mensura quarta pars.

LINIMENTUM AMMONIÆ SUBCAR-
BONATIS.

Linimentum Ammoniæ, P. L. 1787.
Singulis unciis interdum addantur
Antimonii tartarizati contriti dr. ij.

LINIMENTUM CALCIS.

℞ Olei Lini fluidunc. ij,
Liquoris Calcis fluidunc. vj.
Simul agita ; et pro re nata adde,
Tincturæ Opii fluidunc. ss.

LINIMENTUM CAMPHORÆ.

Hujus Linimenti fluidunc. iv interdum
addatur
Olei Terebinthinæ fluidunc. j.

LINIMENTUM CAMPHORÆ COMPOSITUM.

LINIMENTUM HYDRARGYRI.

(Continet Hydrargyri circiter sextam partem).

LINIMENTUM OPIATUM.

℞ Opii, Aquæ pauxillo emolliti, dr. ss,
Camphoræ gr. v,
Adipis præparatæ dr. iss,
Olei Olivæ fluidr. j.

Solve Camphoram in Oleo; dein adde
cætera.

LINIMENTUM PETROLEI COMPOSITUM.

℞ Petrolei fluidunc. ij,
Camphoræ Spiritus rectificati pauxillo
contritæ, dr. ij.

Misce.

106 PRÆPARATA ET COMPOSITA.

LINIMENTUM PLUMBI OPIATUM.

℞ Liquoris Plumbi Subacetatis,
Tincturæ Opii,
Mellis Rosæ, singulorum fluidr. ij,
Confectionis Rosæ Gallicæ unc. j.

Misce.

LINIMENTUM SAPONIS AROMA-
TICUM.

℞ Saponis mollis unc. xij,
Camphoræ unc. iv,
Olei Origani fluidunc. j,
Spiritus rectificati oct. iv.

Saponem in Spiritu leni calore digere donec
solvatur; dein adde cætera; et soluta Cam-
phora pro re nata insuper mensura, vel

Tincturæ Opii quartam partem, vel
Tincturæ Lyttæ quintam partem, vel
Liquoris Ammoniæ octavam partem.

LINIMENTUM TEREBINTHINÆ COM-
POSITUM.

℞ Olei Terebinthinæ oct. j,
Sinapis Semen unc. ij,
Saponis mollis unc. viij,
Aquæ ferventis oct. j.

PRÆPARATA ET COMPOSITA. 107

Seminibus contusis Aquam affunde, et unacera per horas duas, dein liquorem leniter exprime. In hoc solve Saponem, adde Oleum, et simul agita.

LIQUOR ALUMINIS COMPOSITUS.

Aqua Aluminis composita, P. L. 1787.

LIQUOR AMMONIÆ.

Aqua Ammonia: puræ, P. L. 1787.

Dosis, a minim. x ad xx ex quovis vehiculo idoneo bis, ter, quaterve quotidie.

LIQUOR AMMONIÆ ACETATIS.

Aqua Ammonia: acetatæ, P. L. 1787.

Spiritus Mindereri vulgo.

Dosis, a fluidr. ij ad fluidunc. j ter, quater, vel sexties quotidie.

LIQUOR AMMONIÆ SUBCARBONATIS.

Aqua ammonia:, P. L. 1787.

Dosis, a minim. xv ad fluidr. j pro re nata.

108 PRÆPARATA ET COMPOSITA.

LIQUOR ANTIMONII TARTARIZATI.

DOSIS, *a minim. xxx ad lx ter, quater, vel sexties quotidie; ad vomitum ciendum a fluidunc. ss ad fluidunc. j* (fluidunc. ss continet Antimonii tartarizati gr. j).

LIQUOR ANTIMONII OPIATUS.

℞ Liquoris Antimonii tartarizati fluidunc.
iv,
Tincturæ Opii fluidunc. j.

Misce.

DOSIS, *a minim. xxx ad fluidr. ij singulis noctibus.*

LIQUOR ARGENTI NITRATIS.

℞ Argenti Nitratis crystallizatæ gr. ij,
Aquæ distillatæ fluidunc. viij.

Solve.

DOSIS, *a fluidunc. ss ad fluidunc. ij bis, vel ter quotidie. Exhibeatur etiam pro Gargarismate.*

PRÆPARATA ET COMPOSITA. 109

LIQUOR ARSENICALIS.

Solutio Fowleri vulgo.

Dosis, a minim. v ad x semel, bis, vel ter quotidie. (Fluidr. ij continent Oxydi Arsenici gr. j, et minim. viiiss fere gr. $\frac{1}{16}$).—Vide Solutio.

LIQUOR CALCIS.

Aqna Calcis, P. L. 1787.

Dosis, oct. $\frac{1}{2}$ ad oct. j partitis vicibus quotidie. Gravior interdum fit Liquor adjecta Lactis novi parte mensura æquali.

LIQUOR CALCIS MURIATIS.

Dosis, a minim. xxx ad fluidr. j bis, vel ter quotidie ex Decocto Hordei, vel quovis alio vehiculo idoneo.

LIQUOR CUPRI AMMONIATI.

110 PRÆPARATA ET COMPOSITA.

LIQUOR HYDRARGYRI OXYMURI- ATIS.

*Dosis, a fluidr. j ad fluidunc. j semel, vel bis
quotidie ex quovis vehiculo idoneo, cum*

*Tincturæ Aurantii fluidr. j, vel
Spiritus Lavandulæ compositi minim. xx.
(Fluidunc. ij continent Hydrargyri Oxymu-
riatis gr. j).*

LIQUOR PLUMBI SUBACETATIS.

Aqua Lithargyri acetati, P. L. 1787.

LIQUOR PLUMBI SUBACETATIS DI- LUTUS.

Aqua Lithargyri acetati composita, P. L. 1787.

*Singulis octariis interdum addere licet
Tincturæ Opii fluidr. ij.*

LIQUOR POTASSÆ.

Aqua Kali puri, P. L. 1787.

*Dosis, a minim. x ad lx semel, bis, vel ter
quotidie ex Liquoris Calcis vel Decocti Lini
cyatho.*

PRÆPARATA ET COMPOSITA. III

LOTIO AMMONIÆ MURIATIS.

R̄ Ammoniæ Muriatis unc. ss,
Aceti oct. j.

Solve.

LOTIO AMMONIÆ MURIATIS SPIRITUOSA.

R̄ Ammoniæ Muriatis unc. j,
Aceti oct. ss.

Solve, et adde

Spiritus rectificati fluidunc. iv.

LOTIO HYDRARGYRI CINEREA.

R̄ Hydrargyri Submuriatis dr. ij,
Liquoris Calcis oct. j.

Simul agita.

LOTIO HYDRARGYRI FLAVA.

R̄ Hydrargyri Oxymuriatis scrup. j,
Liquoris Calcis oct. j.

Simul tere.

112. PRÆPARATA ET COMPOSITA.

LOTIO HYDRARGYRI OXYMURIATIS.

℞ Liquoris Hydrargyri Oxymuriatis,
Aquæ distillatæ, singulorum partes men-
sura æquales.

Misce. (Fluidunc. iv continent Hydrar-
gyri Oxymuriatis gr. j).

LOTIO HYOSCYAMI.

℞ Extracti Hyoscyami dr. j,
Aquæ fluidunc. iij.

Simul tere.

LOTIO OPII.

℞ Opii concisi dr. ij,
Aquæ ferventis oct. j.

Diligenter contere; dein coque lento igne
per sextam horæ partem, et cola.

LOTIO SODÆ SUBBORATIS.

℞ Sodæ Subboratis gr. xxiv,
Aquæ Rosæ oct. j.

Solve.

PRÆPARATA ET COMPOSITA. 113

LOTIO ZINCI COMPOSITA.

℞ Lotionis Zinci Sulphatis,
Liquoris Plumbi Subacetatis diluti, sin-
gulorum partes mensura æquales.
Misce.

LOTIO ZINCI SULPHATIS.

℞ Zinci Sulphatis dr. ss,
Aquæ oct. j.
Solve.

MAGNESIA.

Magnesia usta, P. L. 1787.

Dosis, *a gr. x ad dr. j pro re nata.*

MAGNESIÆ CARBONAS.

Magnesia, P. L. 1787.

Dosis, *a gr. xx ad dr. ij pro re nata.*

MEL DESPUMATUM.

MEL ROSÆ.

114 PRÆPARATA ET COMPOSITA.

MEL SODÆ SUBBORATIS.

Mel Boracis, P. L. 1809.

Dosis, *Cochleare minimum subinde.*

MISTURA ACAROIDIS.

℞ Acaroidis Resinæ dr. iij,
Pulveris Tragacanthæ compositi dr. ij.
Simul tere, et paulatim adde
Julepi Menthæ fluidunc. ix.
Dosis, *fluidunc. j ter, sæpiusæ quotidie.*

MISTURA AMMONIACI.

Lac ammoniacum, P. L. 1787.

Fiat more præscripto P. L. ex Gummi-resinæ dr. iij et Aquæ fluidunc. ix.

Dosis, *fluidunc. j bis, vel ter quotidie.* Singulis dosibus addita pro re nata

Tincturæ Camphoræ compositæ fluidr. j,
vel
Oxymellis Scillæ fluidr. j, vel
Liquoris Ammoniæ Acetatis fluidunc. ss.

PRÆPARATA ET COMPOSITA. 115

MISTURA AMYGDALARUM.

Dosis, *ab oct. j ad ij partitis vicibus quotidie*, singulis octariis interdum additis

Potassæ Nitratis contritæ dr. j; et insuper
pro re nata

Mannæ unc. j.

MISTURA AROMATICA.

℞ Pulveris Confectionis aromaticæ dr. iij,
Julepi Menthæ compositi fluidunc. ix.

Misce.

Dosis, *fluidunc. j ter, quaterve quotidie*, singulis dosibus addita pro re nata

Tincturæ Calumbæ fluidr. j.

MISTURA ASSAFÆTIDÆ.

Lac Assafætidæ, P. L. 1787.

Fiat cum Assafætidæ dr. iij, et Aquæ fluidunc. ix.

Dosis, *a fluidunc. ss ad j bis, terve quotidie, vel pro re nata. Injiciantur interdum præ Enemate fluidunc. viij tepidæ, vel cum vel sine*

Tincturæ Opii fluidr. j.

116 PRÆPARATA ET COMPOSITA.

MISTURA BALSAMI PERUVIANI.

℞ Balsami peruviani fluidr. iij,
Mellis fluidunc. ss.

Simul diligenter tere, et gradatim adde
Aquæ fluidunc. viij.

Dosis, *fluidunc. j ad ij bis, ter, quaterve*
quotidie.

MISTURA CAMPHORÆ.

Mistura camphorata, P. L. 1787.

Dosis, *fluidunc. ij ter, quater, vel sexties*
quotidie, addita pro re nata

Liquoris Ammoniaë Acetatis quarta men-
sura parte.

MISTURA CETACEI.

℞ Cetacei dr. vj,

Ovi unius vitellum,

Probe contundantur ; tum gradatim adde

Syrupi tolutani fluidunc. iss,

Aquæ Pulegii oct. j.

Fiat Mistura.

Dosis, *fluidunc. j ter, quater, sæpiusve quo-*
tidie, singulis dosibus pro re nata additis

Potassæ Nitratis gr. x, vel

Tincturæ Camphoræ compositæ minim.

xxx.

PRÆPARATA ET COMPOSITA. 117

MISTURA COPAIBÆ.

℞ Copaibæ fluidr. iij,
Solutionis Potassæ Subcarbonatis fluidr.
iss,
Decocti Hordei fluidunc. viij.

Copaibam cum Liquore primum contere,
dein Decoctum gradatim adde, et pro re
nata

Spiritus Ætheris nitrici fluidr. iij.

Dosis, *a fluidunc. j ad ij bis, vel ter quo-*
tidie.

MISTURA CONII COMPOSITA.

℞ Extracti Conii dr. j,
Sodæ Subcarbonatis dr. iss,
Decocti Glycyrrhizæ fluidunc. xj,
Spiritus Pimentæ fluidr. vj.

Dosis, *a fluidunc. j ad ij ter, quaterve quo-*
tidie.

Decocti Glycyrrhizæ vice interdum uti
licet Mistura Myrrhæ.

MISTURA CRETÆ.

Vide Pulvis Cretaceus.

IIS PRÆPARATA ET COMPOSITA.

MISTURA CRETÆ OPIATA.

R_x Pulveris Cretæ compositi cum Opio dr.
iij,

Julepi Menthæ fluidunc. ix.

Misce.

Dosis, *fluidunc. j post singulas alvi dejectiones liquidas.* (Fluidunc. ij continent Opii gr. j).

MISTURA FERRI COMPOSITA.

Saccharo et Aqua Rosæ omissis fit ex
Decocto Glycyrrhizæ.

Dosis, *a fluidunc. j ad iss bis, vel ter quotidie.*

MISTURA GUAIACI AMMONIATA.

R_x Guaiaci Resinæ dr. ij,

Liquoris Ammoniæ Subcarbonatis fluidr.
iiss,

Decocti Hordei oct. ss.

Tere Guaiacum cum Liquore, et gradatim
adde Decoctum.

Dosis, *fluidunc. j bis, terve quotidie.* Singulis dosibus interdum additur, vel

PRÆPARATA ET COMPOSITA. 119

Julepi Ammonizæ fluidunciam, vel
Liquoris Ammonizæ Acetatis fluidr. iv.

MISTURA MOSCHI.

Mistura moschata, P. L. 1787.

Dosis, a fluidunc. j ad ij bis, ter sæpiusve
quotidie, singulis dosibus pro re nata additis
Liquoris Ammonizæ Subcarbonatis minim.
xxx.

MISTURA MUCILAGINOSA.

Mucilaginis Acaciæ fluidunc. viij,
Misturæ Ammoniaci fluidunc. ij,
Aquæ Menthæ viridis fluidunc. v,
Syrupi simplicis fluidunc. j.

Misce.

Dosis, unc. ij ter, quater, sæpiusve quotidie;
pro re nata adde, vel

Tincturæ Scillæ fluidr. iij, vel
Liquoris Antimonii tartarizati fluidunc.
ss, vel
Tinctura Camphoræ compositæ fluidr. vj.

120 PRÆPARATA ET COMPOSITA.

MISTURA MYRRHÆ.

℞ Myrrhæ dr. iij,
Decocti Glycyrrhizæ ferventis fluidunc.
ix.

Simul tere, et cola.

Dosis, *fluidunc. j bis, vel ter quotidie.*

Singulis dosibus interdum adde, vel
Sodæ Subcarbonatis gr. xij, vel
Acidi sulphurici diluti minim. xv, vel
Tincturæ Camphoræ compositæ fluidr. ss.

MISTURA OLEI CUM RHEO.

℞ Olei Lini,
Tincturæ Rhei, singulorum fluidunc. j.

Simul agita.

Dosis, *a fluidr. ij ad iv semel, vel bis quotidie.*

MISTURA OLEOSA.

℞ Olei Olivæ fluidunc. j,
Solutionis Potassæ Subcarbonatis fluidr. ss,
Aquæ Menthæ viridis fluidunc. vij.

Simul agita.

Dosis, *Cochleare amplum unum vel alterum subinde, singulis uncis pro re nata additis, vel*

PRÆPARATA ET COMPOSITA. 121

Tincturæ Camphoræ compositæ minim.
xxx, vel
Tincturæ Scillæ minim. xv.

Fieri etiam potest Mistura cum Liquoris
Ammoniaë Subcarbonatis minim. lx vice So-
lutionis Potassæ Subcarbonatis, et signari
MISTURA OLEOSA AMMONIATA.

MISTURA OLEOSA CUM MANNA.

℞ Misturæ oleosæ fluidunc. vij,
Mannæ unc. j.

Solve.

Dosis *fluidunc. ij bis, vel ter quotidie.*

MISTURA OLIBANI.

℞ Olibani dr. iv,
Mellis fluidr. vj,
Decocti Hordei fluidunc. xj.

Olibanum cum Melle primum tere, et bene
mistis Decoctum gradatim adjice.

Dosis, *a fluidunc. j ad ij ter quotidie.*

Interdum Aquæ Menthæ vice, uti liceat De-
cocto Cinchonæ cordifoliæ.

122 PRÆPARATA ET COMPOSITA.

MISTURA OPIATA.

℞ Pulveris Confectionis Opii dr. j,
Julepi Menthæ fluidunc. ix.

Misce.

Dosis, *a fluidunc. ss ad fluidunc. iss semel,
bis, sæpiusve quotidie.*

MISTURA RHEI COMPOSITA.

℞ Rhei Radicis contritæ dr. j,
Sodæ Subcarbonatis dr ij,
Tincturæ Aurantii fluidunc. iss,
Decocti Glycyrrhizæ fluidunc. xss.

Misce.

Dosis, *a fluidunc. ss ad fluidunc. j semel,
bis, vel ter quotidie.*

MISTURA SALINA CUM FERRO.

℞ Magnesiæ Sulphatis,
Sodæ Sulphatis, singularum dr. v,
Ferri Sulphatis gr. ij,
Aquæ tepidæ oct. ij.

Fiat Solutio.

Dosis, *oct. ss primo mane propinetur, et
hora elapsa repetatur, ni alvus prius dejiciat.*

PRÆPARATA ET COMPOSITA. 123

MISTURA SENNÆ COMPOSITA.

℞ Sennæ Foliorum,
Menthæ viridis, singulorum unc. j,
Aquæ ferventis oct. ij.

Macera per horam ; dein cola, et solve
Magnesiæ Sulphatis unc. vj.

Dosis, *a fluidunc. ij ad iv pro re nata.*

MUCILAGO ACACIÆ.

Dosis, *a fluidr. ij ad iv ex quovis vehiculo
pro re nata.*

MUCILAGO AMYLI.

Dosis, *a fluidr. ij ad fluidunc. j pro re
nata. Modo adhibeatur Aqua calida diluta pro
potu communi, modo dentur fluidunc. vj pro
Enemate.*

OLEUM ÆTHEREUM.

Oleum Vini, P. L. 1787.

Dosis, *a minim. j ad iv ter, quaterve quo-
tidie.*

124 PRÆPARATA ET COMPOSITA.

OLEUM AMYGDALARUM.

DOSIS, *a fluidr. j ad iv pro re nata ex Mucilagine Acaciæ, vel Amyli Aqua diluta, Saccharo ad gratum saporem postea addito.*

OLEUM ANISI.

DOSIS, *a minim. iij ad xv bis, sæpiusve quotidie.*

OLEUM CARUI.

DOSIS, *a minim. j ad iij bis, sæpiusve quotidie.*

OLEUM LINI.

DOSIS, *a fluidr. j ad iv semel, bis, sæpiusve quotidie; et eodem modo detur ac Oleum Amygdalarum, quod vide.*

OLEUM MENTHÆ PIPERITÆ.

Oleum Menthæ piperitidis, P. L. 1787.

DOSIS, *a minim. j ad iij bis, sæpiusve quotidie.*

PRÆPARATA ET COMPOSITA. 125

OLEUM MENTHÆ VIRIDIS.

Oleum Menthæ sativæ, P. L. 1787.

Dosis, *a minim. j ad iij bis, sæpiusve quotidie.*

OLEUM PIMENTÆ.

Dosis, *a minim. j ad iij bis, sæpiusve quotidie.*

OLEUM ORIGANI.

OLEUM RICINI.

Dosis, *a fluidr. ij ad fluidunc. ij pro re nata.*

OLEUM SULPHURATUM.

OLEUM SUCCINI.

Dosis, *a minim. x ad xx ex Saccharo bis, sæpiusve quotidie.*

126 PRÆPARATA ET COMPOSITA.

OLEUM TEREBINTHINÆ RECTIFICATUM.

DOSIS, *a minim. xx ad xxx ex Melle ter, quaterve quotidie; vel per se a fluidunc. ss ad fluidunc. ij pro re nata.*

OXYMEL SCILLÆ.

DOSIS, *a fluidr. ss ad fluidr. ij bis, ter, quaterve quotidie.*

OXYMEL SIMPLEX.

Mel acetatum, P. L. 1787.

DOSIS, *a fluidr. ij ad iv ter, sæpiusve quotidie.*

PILULÆ ALOES COMPOSITÆ.

E singulis drachmis formentur Pilulæ xij, quarum ij, iij vel iv pro re nata sumantur.

PRÆPARATA ET COMPOSITA. 127

PILULÆ ALOES CUM FERRO.

℞ Aloes spicatae Extracti dr. iss.
Myrrhæ dr. ij,
Extracti Gentianæ,
Ferri Sulphatis, singulorum dr. j,
Aquæ quantum sufficiat.

Simul contunde, et in Pilulas mediocres
divide.

Dosis, a ij ad iv semel, vel bis quotidie.

PILULÆ ALOES CUM MYRRHÆ.

℞ Aloes spicatae Extracti unc. ij,
Myrrhæ,
Saponis duri, singulorum unc. j,
Olei Carui fluidr. ij,
Aquæ quantum sufficiat.

Omnia simul contunde. Et singulis drach-
mis formentur Pilulæ xij.

Dosis, ab j ad v pro re nata.

128 PRÆPARATA ET COMPOSITA.

PILULÆ ALOETICÆ.

℞ Aloes spicatæ Extracti dr. iij,
Saponis duri dr. j,
Olei Mentliæ piperitæ minim. x.

Subige cum Aqua, ut fiat massa in Pilulas
lx formanda.

Dosis, a ij ad iv pro re nata.

PILULÆ ANTIMONII OPIATÆ.

℞ Antimonii tartarizati gr. j,
Opium duri contriti gr. ij,
Theriace quantum sufficiat, ut fiant Pilulæ
iv, quarum sit dosis j vel ij semel, bis, sæpiusve
quotidie.

Fieri etiam possunt cum Opium duplici
quantitate, et tunc signantur PILULÆ AN-
TIMONII OPIATÆ FORTIORES.

Singulis Pilulis pro re nata adde
Hydrargyri Submuriatis gr. j.

PILULÆ ASSAFŒTIDÆ.

℞ Assafœtidæ Gummi-resinæ dr. iij.
Saponis duri dr. j,
Aquæ quantum sufficiat, ut fiant Pilulæ lx.
Dosis, ij bis, terve quotidie.

PRÆPARATA ET COMPOSITA. 129

PILULÆ ASSAFŒTIDÆ COMPOSITÆ.

℞ Pilulæ Assafœtidæ gr. x,
Ipecacuanhæ Radicis,
Scillæ Radicis exsiccatae, singularum con-
tritarum gr. j.
Aquæ quantum sufficiat, ut fiant Pilulæ iij
bis, ter, quaterve quotidie sumendæ.

PILULÆ CAMBOGIÆ COMPOSITÆ.

Vice Pulveris Cinnamomi compositi uti
licet Pulvere aromatico.

E singulis drachmis formentur Pilulæ xij,
quarum sumantur iij vel iv pro re nata.

PILULÆ CAPSICI.

℞ Capsici Baccarum contritarum dr. ij,
Pulveris Tragacanthæ compositi dr. j,
Confectionis Rosæ caninæ quantum suffi-
ciat, ut fiant Pilulæ lx.

Dosis, ab j ad v bis, ter, sæpiusve quotidie.

130 PRÆPARATA ET COMPOSITA.

PILULÆ CAPSICI CUM RHEO.

- ℞ Capsici Baccarum contritarum dr. j,
Rhei Radicis contritæ dr. ij,
Theriacæ quantum sufficiat.

Misce. Fiant Pilulæ lx. *quarum dentur ij
vel iij paulo ante prandium quotidie.*

PILULÆ COLOCYNTHIDIS CUM HY- DRARGYRO.

- ℞ Extracti Colocynthidis compositi dr. iv,
Hydrargyri Submuriatis dr. j.

Misce. Fiant Pilulæ lx.

Dosis, *ab j ad v pro re nata.*

PILULÆ CONII.

- ℞ Extracti Conii quantum velis,
Conii Foliorum exsiccatorum, et contrito-
rum quantum sufficiat.

Misce. E singulis drachmis formentur Pi-
lulæ xij. *quarum sit dosis, ab j ad iij bis, ter,
sepiusve quotidie.* Singulis Pilulis interdum
adde, vel

Ipecacuanhæ Radicis contritæ gr. j, vel
Zinci Sulphatis gr. j, vel
Scillæ Radicis contritæ gr. j.

PRÆPARATA ET COMPOSITA. 131

PILULÆ CUPRI AMMONIATI.

℞ Cupri ammoniati gr. xvj,
Micæ Panis scrup. iv,
Theriacæ quantum sufficiat.

Probe commisceantur, et in Pilulas xxxij
dividantur.

Dosis, *ab j ad x bis, vel ter quotidie.*

PILULÆ FERRI COMPOSITÆ.

℞ Ferri Subcarbonatis dr. j,
Myrrhæ dr. iv,
Theriacæ quantum sufficiat, ut fiant Pilulæ
lx.

Dosis, *ij vel iij bis, terre quotidie.*

PILULÆ FERRI CUM GENTIANA.

℞ Ferri Subcarbonatis,
Extracti Gentianæ mollioris,
Zingiberis Radicis contritæ, singulorum
dr. iss.

Misce. Fiant Pilulæ lx.

Dosis, *ij bis, vel ter quotidie.*

132 PRÆPARATA ET COMPOSITA.

PILULÆ GALBANI COMPOSITÆ.

E singulis drachmis formentur Pilulæ xij.
Dosis, j *vel ij bis, ter, quaterve quotidie.*

PILULÆ GALBANI CUM FERRO.

℞ Pilulæ Galbani compositæ dr. iij,
Ferri Subcarbonatis dr. iss,
Aquæ quantum sufficiat.
Misce, et divide in Pilulas lx.
Dosis, ij *vel iij bis, vel ter quotidie.*

PILULÆ GALBANI CUM ZINCO.

℞ Pilulæ Galbani compositæ dr. iv,
Zinci Sulphatis dr. j.
Misce. Fiant Pilulæ lx.
Dosis, j *vel ij bis, vel ter quotidie.*

PILULÆ HYDRARGYRI.

E singulis drachmis formentur Pilulæ x.
Dosis, ab j *ad ij semel, bis, sæpiusve quotidie.* (Pilulæ singulæ continent Hydrargyri circiter gr. ij).

PRÆPARATA ET COMPOSITA. 133

PILULÆ HYDRARGYRI CUM IPECACUANHA.

℞ Hydrargyri Submuriatis gr. v,
Ipecacuanhæ Radicis contritæ gr. x,
Confectionis Rosæ caninæ quantum suffi-
ciat, ut fiant Pilulæ x.

Dosis, j *bis, ter, sæpiusve quotidie.*

PILULÆ HYDRARGYRI CUM RHEO.

℞ Pilulæ Hydrargyri,
Rhei Radicis contritæ, singularum dr. j,
Aquæ quantum sufficiat, ut fiant Pilulæ
xxiv.

Dosis, j *vel ij semel, vel bis quotidie.*

PILULÆ HYDRARGYRI OXYMURIATIS.

℞ Hydrargyri Oxymuriatis gr. viiss,
Ammoniæ Muriatis gr. x.

Tere simul, et solve in

Aquæ ferventis fluidr. ij,

Dein adde

Micæ Panis quantum sufficiat, ut fiant
Pilulæ lx.

134 PRÆPARATA ET COMPOSITA.

Dosis, *ab j ad ij semel, bis, sæpiusve quotidie.* (Singulæ continent Hydrargyri Oxymuriatis gr. $\frac{1}{8}$).

PILULÆ HYDRARGYRI SUBMURIATIS COMPOSITÆ.

Pilulæ Plummeri vulgo.

E massa formentur Pilulæ, adeo ut singulæ contineant Hydrargyri Submuriatis granum.

Dosis, *ab j ad iij semel, vel bis quotidie.*

PILULÆ IPECACUANHÆ CUM OPIO.

℞ Ipecacuanhæ Radicis contritæ,
Opium duri contriti, singulorum gr. j,
Confectionis Rosæ caninæ quantum sufficiat, ut fiat Pilula *omni nocte sumenda*, addito pro re nata

Hydrargyri Submuriatis gr. j.

PILULÆ MYRRHÆ.

℞ Myrrhæ dr. iiii,
Saponis duri dr. ss,
Aquæ quantum satis sit, ut fiant Pilulæ
lx.

Dosis, a ij ad iv bis, vel ter quotidie.

PILULÆ MYRRHÆ CUM AMMONI-
ACO.

℞ Ammoniaci Gummi-resinæ,
Myrrhæ, singularum dr. ij,
Aquæ quantum satis sit, ut fiant Pilulæ
lx.

Dosis, a ij ad iv bis, vel ter quotidie.

PILULÆ MYRRHÆ CUM SODA.

℞ Myrrhæ,
Sodæ Subcarbonatis exsiccatae, singula-
rum dr. ij,
Saponis duri dr. j,
Aquæ quantum sufficiat, ut fiant Pilulæ
lx.

Dosis, ij vel iij ter, quaterve quotidie.

136 PRÆPARATA ET COMPOSITA.

PILULÆ PAPAVERIS CUM IPECACUANHA.

℞ Ipecacuanhæ Radicis contritæ dr. j,
Extracti Papaveris dr. iv.

Misce, et dividè in Pilulas lx.

Dosis, j *semel*, *bis*, *sæpiusve* *quotidie*.

PILULÆ PLUMBI SUPERACETATIS.

℞ Plumbi Superacetatis gr. viij,
Opii duri contriti gr. iv,
Confectionis Rosæ caninæ quantum satis
sit, ut fiant Pilulæ viij.

Dosis, j, ij, *vel* iij *semel*, *bis*, *sæpiusve* *quotidie*.

PILULÆ RHEI AROMATICÆ.

℞ Rhei Radicis contritæ dr. ij,
Capsici Baccarum contritarum dr. j,
Aloes spicatæ Extracti,
Scillæ Radicis exsiccatae et contritæ, singulorum gr. xxx,
Theriace quantum sufficiat, ut fiant Pilulæ lx.

Dosis, a ij *ad* iv *semel*, *vel* *bis* *quotidie*.

PILULÆ RHEI COMPOSITÆ.

℞ Rhei Radicis contritæ,
Sodæ Subcarbonatis exsiccatae,
Extracti Gentianæ, singulorum dr. iss.

Misce. Fiant Pilulæ lx ; addita pro re nata
Galbani Gummi-resinæ dr. j.

Dosis, ij *vel* iij *bis*, *vel* *ter* quotidie.

PILULÆ RHEI CUM SODA.

℞ Rhei Radicis contritæ,
Sodæ Subcarbonatis exsiccatae, singularum
dr. iss

Theriace quantum satis sit, ut fiant Pilulæ
lx.

Dosis, a ij *ad* iv *semel*, *vel* *bis* quotidie.

PILULÆ SAPONIS CUM OPIO.

E singulis drachmis formentur Pilulæ xij.

Dosis, j *vel* ij *pro re nata*. (Gr. v continent
Opium gr. j).

138 PRÆPARATA ET COMPOSITA.

PILULÆ SCILLÆ COMPOSITÆ.

E singulis drachmis formentur Pilulæ xij.

Dosis, ij *vel* iij *bis, ter, vel quater* quotidie.

PILULÆ SCILLÆ CUM HYDRARGYRO.

℞ Hydrargyri Oxydi cinerei gr. xx,
Pilulæ Scillæ compositæ dr. iv,

Misce, et divide in Pilulas lx.

Dosis, iij *semel, bis, sæpiusve* quotidie.

PILULÆ SCILLÆ CUM OPIO.

℞ Opii duri contriti gr. x,
Pilulæ Scillæ compositæ dr. iv.

Misce. Fiant Pilulæ lx.

Dosis, iij *omni nocte*.

PILULÆ SODÆ.

℞ Sodæ Subcarbonatis dr. iij,
Saponis duri dr. j,
Olei Carui minim. x,
Aquæ quantum sufficiat, ut fiant Pilulæ
lx.

Dosis, a ij *ad* vj *bis, vel ter* quotidie.

PRÆPARATA ET COMPOSITA. 139

PILULÆ TEREBINTHINÆ CUM RHEO.

R̄ Terebinthinæ Chiræ dr. ij,
Rhei Radicis contritæ dr. j,
Copaiibæ quantum sufficiat, ut fiant Pilu-
læ lx.

Dosis, a ij ad v semel, bis, vel ter quotidie.

PLUMBI SUPERACETAS.

Cerussa acetata, P. L. 1727.

*Dosis, a gr. j ad vj cum Opii gr. j semel, bis
capiasse quotidie.*

POTASSA CUM CALCE.

Calx cum Kali puro, P. L. 1727.

POTASSA FUSA.

Kali purum, P. L. 1727.

POTASSÆ ACETAS.

Kali acetatum, P. L. 1727.

*Dosis, a dr. ss ad dr. j bis, ter, quaterve quo-
tidie.—Vide Solutio.*

140 PRÆPARATA ET COMPOSITA.

POTASSÆ CARBONAS.

DOSIS, *a gr. x ad xxx bis, terve quotidie.*

POTASSÆ SUBCARBONAS.

Kali præparatum, P. L. 1787.

DOSIS, *a gr. v ad xx bis, terve quotidie.*

POTASSÆ SULPHAS.

Kali vitriolatum, P. L. 1787.

DOSIS, *a dr. j ad ij ex Aqua tepida quotidie mane.*

POTASSÆ SULPHURETUM.

Kali sulphuratum, P. L. 1787.

DOSIS, *a gr. x ad xx bis, ter, saepiusve quotidie.*

PRÆPARATA ET COMPOSITA. 141

POTASSÆ SUPERTARTRAS.

Tartari crystalli, P. L. 1787.

Dosis, a dr. j ad ij semel, bis, sæpiusve quotidie.

POTASSÆ TARTRAS.

Kali tartarissatum, P. L. 1787.

Dosis, a dr. ss ad dr. j bis, ter, sæpiusve quotidie.

PULVIS ALUMINIS CUM CINNAMOMO.

℞ Aluminis contriti unc. ij,
Cinnamomi Corticis in pulverem tenuem
triti, unc. j.

Misce.

Dosis, a gr. x ad xxx bis, terre quotidie.

142 PRÆPARATA ET COMPOSITA.

PULVIS ALUMINIS CUM KINO.

℞ Aluminis unc. ij,
Kino unc. j.

Simul tere in pulverem tenuem.

Dosis, a gr. x ad xx bis, terve quotidie.

PULVIS ANTIMONIALIS.

Dosis, a gr. ij ad v ter, quater, sæpiusve quotidie.

PULVIS AROMATICUS.

℞ Pimentæ Baccarum,
Cassiæ Florum nondum explicatorum,
Zingiberis Radicis, singulorum unc. j.

Tere simul, ut fiat pulvis subtilissimus.

Dosis, a gr. v ad x bis, terve quotidie.

PULVIS ASARI COMPOSITUS.

Hauriantur naribus gr. x bis, ter, sæpiusve quotidie ; addito pro re nata

Hydrargyri Subsulphatis flavæ a gr. $\frac{1}{4}$ ad $\frac{1}{2}$.

PRÆPARATA ET COMPOSITA. 143

PULVIS BISMUTHI COMPOSITUS.

℞ Bismuthi Oxydi dr. j,
Pulveris Tragacanthæ compositi dr. ij.

Misce.

Dosis, a gr. x ad xx bis, terre quotidie.

PULVIS CORNU USTI CUM OPIO.

Pulvis opiatus, P. L. 1787.

Dosis, a gr. ij ad x pro re nata. (Gr. x continent Opii gr. j.)

PULVIS CRETACEUS.

℞ Cretæ præparatæ,
Acaciæ Gummi contriti, singulorum unc
iv.

Sacchari purificati contriti unc. iij.

Misce.

E singulis drachmis xj, et Aquæ oct. j fit
MISTURA CRETÆ, P. L. cujus dentur fluidunc.
j post singulas sedes liquidas: urgentibus alvi
dejectionibus sit pro potu communi.

144 PRÆPARATA ET COMPOSITA.

PULVIS CONFECTIONIS AROMA-
TICÆ.

℞ Cinnamomi Corticis,
Myristicæ Nucleorum,
Carui Seminum, singulorum unc. ij,
Caryophyllorum, unc. j.

Simul in pulverem subtilissimum tere ; dein
adde

Testarum præparatarum unc. xvj,
Sacchari purificati contriti lib. ij,
Et misce.

Dosis, a scr. j ad dr. ss bis, ter sæpiusve
quotidie ex quovis vehiculo idoneo.

PULVIS CONFECTIONIS OPII.

℞ Opii duri contriti dr. v,
Piperis longi Fructus unc. j,
Zingiberis Radicis unc. ij,
Carui Seminum unc. iiiss.

Aromatibus in pulverem tenuem tritis adde
Opium, et diligenter misce.

Dosis, a gr. j ad x pro re nata. (Gr. xij con-
tinent Opii fere granum, et viribus æquipol-
lent Confectionis Opii circiter gr. xxxvj).

PRÆPARATA ET COMPOSITA. 145

PULVIS CRETÆ COMPOSITUS.

Dosis, a scrup. j ad ij pro re nata ex quatuor vehiculis idoneis.

PULVIS CRETÆ CUM OPIO

Dosis, a gr. xv ad xxx pro re nata ex quatuor vehiculis idoneis. (Scrup. ij continent Opi gr. j). Vide Mistura Cretæ opiate.

PULVIS PLATERII COMPOSITUS.

℞. Extracti Platerii contiti gr. iv,
Potassa Supertartratis contita scrup. v,
Zingiberis Radicis contita scrup. j.

Probe miscantur.

Dosis, a gr. v ad xx pro re nata.

PULVIS JALAPÆ COMPOSITUS.

℞. Jalapæ Radicis unc. j,
Potassa Supertartratis unc. ij,
Capsici Baccarum gr. xij.

Omnia seorsim trita permisce.

Dosis, a dr. ss ad dr. j mane

146 PRÆPARATA ET COMPOSITA.

PULVIS JALAPÆ CUM HYDRARGYRO.

℞ Jalapæ Radicis contritæ dr. iv,
Hydrargyri Submuriatis,
Zingiberis Radicis contritæ, singularum
dr. j.

Misce.

Dosis, a gr. xv ad xxx mane.

PULVIS IPECACUANHÆ COMPOSITUS.

Pulvis Doveri vulgo.

Dosis, a gr. x ad xxx nocte; vel a gr. iij
ad xv bis, ter, sæpiusve quotidie. (Gr. x con-
tinent et Opii, et Ipecacuanhæ gr. j).

PULVIS IPECACUANHÆ CUM ANTI-
MONIO.

Pulvis emeticus vulgo.

℞ Ipecacuanhæ Radicis contritæ dr. x,
Antimonii tartarizati dr. ss.

Misce.

Dosis, a gr. v ad xxx.

PRÆPARATA ET COMPOSITA. 147

PULVIS IPECACUANHÆ CUM RHEO.

℞ Ipecacuanhæ Radicis contritæ dr. j,
Rhei Radicis contritæ dr. ij.

Misce.

Dosis, a gr. iij ad v bis, ter, quaterve quotidie.

Interdum fiat Bolus cum Confectionis Opii pari pondere.

PULVIS KINO COMPOSITUS.

Dosis, a gr. v ad xx post singulas sedes liquidas. (Scrup. j continet Opii gr. j).

PULVIS PRO CATAPLASMATE.

℞ Lini Seminum, Oleo prius expresso, contritorum pondere partem j,
Furfuris contriti ponderis partes ij.

Misce.

148 PRÆPARATA ET COMPOSITA.

PULVIS RHEI CUM HYDRARGYRO.

℞ Rhei Radicis contritæ dr. iv,
Hydrargyri Submuriatis,
Zingiberis Radicis contritæ, singularum
dr. j.

Misce.

Dosis, a gr. x ad xxx pro re nata.

PULVIS RHEI CUM MAGNESIA.

℞ Rhei Radicis contritæ dr. j,
Magnesiæ dr. ij,

Misce.

Dosis, a gr. x ad dr. j pro re nata.

PULVIS RHEI COMPOSITUS.

℞ Rhei Radicis contritæ,
Sodæ Subcarbonatis exsiccatae, singularum
dr. j,
Calumbæ Radicis contritæ dr. ij.

Misce.

Dosis, a gr. x ad xx semel, bis, vel ter quotidie ex quovis vehiculo idoneo.

PULVIS RHEI SALINUS.

℞ Rhei Radicis contritæ dr. j,
Potassæ Sulphatis contritæ dr. ij.

Misce.

Dosis, *a gr. x ad dr. j singulis auroris.*

PULVIS SCAMMONEÆ CUM HYDRARGYRO.

Pulvis Scammonii cum Calomelane, P. L. 1787.

℞ Scammonæ Gummi-resinæ contritæ dr.
ij,
Hydrargyri Submuriatis,
Sacchari purificati, singulorum dr. j.

Misce.

Dosis, *a gr. x ad xx mane.*

PULVIS SCILLÆ COMPOSITUS.

℞ Scillæ Radicis exsiccatae et contritæ unc. j,
Potassæ Supertartratis contritæ unc. ix.

Misce.

Dosis, *a gr. x ad xxx bis, terce quotidie.*

150 PRÆPARATA ET COMPOSITA.

PULVIS SODÆ CUM HYDRARGYRO.

R̄ Sodæ Subcarbonatis exsiccatae dr. v,
Hydrargyri Submuriatis dr j,
Pulveris Cretæ compositi dr. x.

Misce.

Dosis, a gr. viij ad xvj semel, vel bis quotidie.

PULVIS TRAGACANTHÆ COMPOSITUS.

Dosis, a scrup. j ad iij ter, sæpiusve quotidie.

SCILLA EXSICCATA.

Dosis, a gr. j ad iv bis, vel ter quotidie.

SEVUM PRÆPARATUM.

Dosis.—Vide ADDENDA.

SODÆ SUBCARBONAS.

Natron præparatum, P. L. 1787.

PRÆPARATA ET COMPOSITA. 151

Dosis, a gr. x ad lx in quovis vehiculo idoneo solutis bis, vel ter quotidie.

SODÆ SUBCARBONAS EXSICCATA.

Dosis, a gr. v ad xv bis, vel ter quotidie.

SODÆ SULPHAS.

Natron vitriolatum, P. L. 1787.

*Dosis, a dr. ss ad dr. ij bis, vel ter quotidie; .
vel ab unc. ss ad unc. ij pro re nata.*

SODA TARTARIZATA.

Natron tartarissatum, P. L. 1787.

Dosis, a dr. j ad vj pro re nata.

SOLUTIO ARSENICALIS.

℞ Liquoris arsenicalis fluidr. iv,
Tincturæ Castorei fluidr. j,
Aquæ distillatæ quantum sufficiat, ut Mis-
tura mensuram octarii accurate impleat.

152 PRÆPARATA ET COMPOSITA.

DOSIS, *fluidunc. ss bis, ter, quaterve quotidie. Exhibeatur etiam pro Lotione.* (Fluidunc. j continet Arsenici Oxydi gr. $\frac{1}{8}$).

SOLUTIO MAGNESIÆ SULPHATIS.

℞ Magnesiæ Sulphatis unc. viij,
Aquæ distillatæ fluidunc. xij, vel quantum sufficiat, ut Solutio mensuram octarii impleat. Liquorem per chartam cola.

DOSIS, *fluidr. j ad ij semel, bis, vel ter quotidie; vel a fluidr. iv ad xij pro re nata.*

SOLUTIO POTASSÆ ACETATIS.

℞ Potassæ Acetatis unc. viij,
Aquæ distillatæ fluidunc. xij, vel quantum sufficiat, ut Solutio mensuram octarii impleat. Liquorem per chartam cola.

DOSIS, *a fluidr. j ad ij bis, ter, quaterve quotidie ex Julepo Menthæ, vel quovis alio vehiculo idoneo.* Singulis dosibus interdum adde, vel

Tincturæ Scillæ minim. xx, vel
Oxymellis Scillæ fluidr. j, vel
Tincturæ Digitalis minim. x.

PRÆPARATA ET COMPOSITA. 153

SOLUTIO POTASSÆ SUBCARBONATIS.

℞ Potassæ Subcarbonatis unc. viij,
Aquæ fluidunc. xiv, vel quantum sufficiat,
ut Solutio mensuram octarii impleat. Lique-
factum per chartam cola.

Dosis, a minim. xx ad lx bis, vel ter quoti-
dianæ ex Decocto Hordei, vel quovis alio vehiculo
conveniente.

SPIRITUS ÆTHERIS NITRICI.

Spiritus Ætheris nitrosi, P. L. 1787.

Dosis, a minim. xx ad lx ter, quaterve quo-
tidianæ.

SPIRITUS ÆTHERIS SULPHURICI.

Spiritus Ætheris vitriolici, P. L. 1787.

Dosis, a min. xxx ad lx bis, ter quaterve
quotidianæ.

154 PRÆPARATA ET COMPOSITA.

SPIRITUS ÆTHERIS SULPHURICI
COMPOSITUS.

Spiritus Ætheris vitriolici compositus, P. L. 1787.

DOSIS, *a minim. xx ad lx bis, ter, quaterve
quotidie.*

SPIRITUS AMMONIÆ.

DOSIS, *a minim. xv ad lx bis, ter, sæpiusve
quotidie.*

SPIRITUS AMMONIÆ AROMATICUS.

Spiritus Ammoniæ compositus, P. L. 1787.

DOSIS, *a minim. xv ad lx bis, ter, sæpiusve
quotidie.*

SPIRITUS AMMONIÆ FÆTIDUS.

DOSIS, *a minim. xx ad lx bis, ter, sæpiusve
quotidie.*

SPIRITUS AMMONIÆ SUCCINATUS.

Dosis, *a minim. xv ad xxx ex quovis vehiculo idoneo semel, bis, sæpiusve quotidie.*

SPIRITUS CAMPHORÆ.

Spiritus camphoratus, P. L. 1787.

Dosis, *a minim. xx ad lx ex Decocto Hordei, roel Lini, Saccharo ad gratum saporem addito, bis, ter, sæpiusve quotidie. (Minima x continent Camphoræ fere gr. j).*

SPIRITUS JUNIPERI COMPOSITUS.

Dosis, *a fluidr. j ad iv bis, ter, quaterve quotidie.*

SPIRITUS LAVANDULÆ.

Dosis, *a fluidr. ss ad fluidr. j bis, ter, sæpiusve quotidie.*

156 PRÆPARATA ET COMPOSITA.

SPIRITUS LAVANDULÆ COMPOSITUS.

DOSIS, *a minim. xx ad lx Saccharo exceptis, vel ex quovis alio vehiculo, bis, ter, sæpiusve quotidie.*

SPIRITUS PIMENTÆ.

DOSIS, *a fluidr. j ad ij bis, ter, sæpiusve quotidie.*

SPIRITUS ROSMARINI.

DOSIS, *a fluidr. ss ad fluidr. j bis, ter, sæpiusve quotidie.*

SPONGIA USTA.

DOSIS, *a dr. ss ad dr. j bis, vel ter quotidie.*

STYRAX PURIFICATA.

DOSIS, *a gr. x ad xxx bis, vel ter quotidie.*

PRÆPARATA ET COMPOSITA. 157

SULPHUR LOTUM.

DOSIS, *a scrup. j ad iij semel, bis, vel ter
quotidie.*

SYRUPUS ALTHÆÆ.

DOSIS, *ad libitum.*

SYRUPUS AURANTII.

DOSIS, *ad libitum.*

SYRUPUS LIMONIS.

DOSIS, *ad libitum.*

SYRUPUS PAPAVERIS.

Syrupus Papaveris albi, P. L. 1787. Syrupus e Me-
conio, P. L. 1745.

DOSIS, *a fluidr. ij ad iv singulis noctibus ;
vel fluidr. j bis, ter, sæpiusve quotidie.*

158 PRÆPARATA ET COMPOSITA.

SYRUPUS RHAMNI.

Syrupus Spinæ cervinæ, P. L. 1787.

DOSIS, *a fluidunc. ss ad fluidunc. iss pro catharsi.*

SYRUPUS SIMPLEX.

DOSIS, *a fluidr. j ad ij ad gratum aliis medicaminibus saporem præbendum.*

SYRUPUS TOLUTANUS.

DOSIS, *ad libitum.*

SYRUPUS ZINGIBERIS.

DOSIS, *a fluidr. j ad ij.*

TESTÆ PRÆPARATÆ.

Ostreorum Testæ præparatæ, P. L. 1787.

DOSIS, *a gr. xx ad lx bis, ter, sæpiusve quotidie.*

TINCTURA ACAROIDIS.

℞ Acaroidis Resinæ unc. iv,
Spiritus rectificati oct. j.

Macera leni calore per dies quatuordecim,
et cola.

Dosis, *a fluidr. ss ad fluidr. j ter, quaterre
quotidie.*

TINCTURA ALOES.

Dosis, *a fluidunc. ss ad fluidunc. iss semel,
vel bis quotidie.*

TINCTURA ALOES AMMONIATA.

℞ Tinctura Aloës oct. j,
Liquoris Ammoniac Subcarbonatis fluid-
unc. j.

Misce.

Dosis, *a fluidr. j ad iij semel, bis, vel ter
quotidie; vel a fluidunc. ss ad fluidunc. j mane.*

160 PRÆPARATA ET COMPOSITA.

TINCTURA ALOES ET MYRRHÆ.

℞ Aloës spicatæ Extracti unc. iij,
Tincturæ Myrrhæ oct. ij,
Maceræ per dies-quatuordecim, et cola.

TINCTURA AROMATICA.

℞ Pulveris aromatici unc. j,
Spiritus tenuioris oct. j.
Maceræ per dies quatuordecim, et cola.
Dosis, a fluidr. j ad ij bis, ter quaterve quotidie.

TINCTURA ASSAFŒTIDÆ.

℞ Assafœtidæ Gummi-resinæ unc. iv,
Spiritus rectificati oct. ij,
Aquæ fluidunc. viij.
Assafœtidæ Gummi-resinam cum Aqua tere, et Spiritum adjice; tum macera per dies quatuordecim, et cola.
Dosis, a minim. xx ad lx bis, ter, quaterve quotidie, vel pro re nata, ex aquæ vel alius cujusvis vehiculi poculo.

PRÆPARATA ET COMPOSITA. 161

TINCTURA AURANTII.

DOSIS, *a fluidr. j ad ij bis, ter, quaterve quotidie.*

TINCTURA BENZOINI COMPOSITA.

Tinctura Benzöes composita, P. L. 1787.

DOSIS, *a fluidr. ss ad fluidr. j ex Melle, vel Sacchari purificati frustulo ter, quaterve quotidie.*

TINCTURA CALUMBÆ.

Tinctura Colombo, P. L. 1787.

DOSIS, *a fluidr. ss ad fluidr. ij bis, ter, sæpiusve quotidie.*

TINCTURA CAMPHORÆ COMPOSITA.

Tinctura Opii camphorata, P. L. 1787. Elixir paregoricum, P. L. 1745.

DOSIS, *a fluidr. ss ad fluidr. ij bis, ter, sæpiusve quotidie. (Fluidunc. ss continet fere Opii gr. j).*

162 PRÆPARATA ET COMPOSITA.

TINCTURA CAPSICI.

DOSIS, *a minim. xx ad lx bis, ter, sæpiusve*
quotidie ex quovis vehiculo.

TINCTURA CASCARILLÆ.

DOSIS, *a fluidr. j ad ij bis, vel ter quotidie.*

TINCTURA CASTOREI.

DOSIS, *a fluidr. ss ad fluidr. j semel, bis, vel*
ter quotidie, ex Julepo Ammoniæ, vel Mistura
Camphoræ.

TINCTURA CATECHU.

DOSIS, *a fluidr. j ad ij bis, ter, sæpiusve*
quotidie.

PRÆPARATA ET COMPOSITA. 163

TINCTURA CARUI COMPOSITA.

℞ Carui Seminum contusorum,
Pimentæ Baccarum contusarum, singulo-
rum dr. iij,
Cinnamomi Corticis contusi unc. ss,
Uvarum passarum, demptis acinis, unc. iv,
Spiritus tenuioris oct. ij.

Aridis contusis, macera omnia per dies
quatuordecim, et cola.

Dosis, a fluidr. j ad iv semel, bis, vel ter
quotidie.

TINCTURA CINCIONÆ, VEL CORDI- FOLIÆ, VEL LANCIFOLIÆ, VEL OB- LONGIFOLIÆ.

Dosis, a fluidr. j ad iv bis, ter, sæpiusve
quotidie.

TINCTURA CINCIONÆ COMPOSITA.

Fiat omissis Croci Stigmatibus, et Cocco.

Dosis, a fluidr. j ad ij bis, ter, sæpiusve
quotidie.

164 PRÆPARATA ET COMPOSITA.

TINCTURA CINNAMOMI.

Dosis, *a fluidr. j ad ij bis, ter, sæpiusve*
quotidie.

TINCTURA CUSPARIÆ.

Tinctura Angusturæ vulgo.

℞ Cuspariæ Corticis contriti unc. ij,
Spiritus tenuioris oct. ij.

Macera per dies quatuordecim, et cola.

Dosis, *a fluidr. j ad ij bis, ter, quaterve quo-*
tidie.

TINCTURA DIGITALIS.

Dosis, *a minim. v ad xx octava, sexta, vel*
quarta quaque hora.

TINCTURA FERRI AMMONIATI.

Tinctura Ferri ammoniacalis, P. L. 1787.

Dosis, *a minim. x ad lx bis, vel ter quo-*
tidie.

PRÆPARATA ET COMPOSITA. 165

TINCTURA FERRI MURIATIS.

Tinctura Ferri muriati, P. L. 1787.

Dosis, *a minim. v ad xx bis, vel ter quotidie. Pro re nata dentur minim. xx omni sexta horæ parte.*

TINCTURA GALBANI.

℞ Galbani Gummi-resinæ concisæ unc. j,
Spiritus tenuioris oct. ij.

Macera per dies quatuordecim, et cola.

Dosis, *a fluidr. ss ad fluidr. j bis, ter, sæpiusve quotidie, vel pro re nata ex aquæ poculo, vel quovis alio vehiculo.*

TINCTURA GENTIANÆ COMPOSITA.

Dosis, *a fluidr. ss ad fluidr. ij bis, vel ter quotidie.*

TINCTURA GUAIACI.

Dosis, *a fluidr. ss ad fluidr. iv semel, bis, vel ter quotidie.*

166 PRÆPARATA ET COMPOSITA.

TINCTURA GUAIACI AMMONIATA.

DOSIS, *a fluidr. ss ad fluidr. iv semel, bis, vel ter, quotidie ex Decocti Lini, vel Avenæ poculo.*

TINCTURA HELLEBORI NIGRI.

DOSIS, *a minim. xx ad lx bis, vel ter quotidie.*

TINCTURA HUMULI.

DOSIS, *a minim. xxx ad fluidr. ij semel, bis, sæpiusve quotidie.*

TINCTURA HYOSCYAMI.

DOSIS, *a minim. xv ad lx semel, bis, sæpiusve quotidie.*

TINCTURA JALAPÆ.

DOSIS, *a fluidr. j ad iv pro re nata.*

PRÆPARATA ET COMPOSITA. 167

TINCTURA KINO.

Dosis, *a fluidr. j ad ij bis, ter, sæpiusve*
quotidie.

TINCTURA LYTTÆ.

Tinctura Cantharidis, P. L. 1787.

Dosis, *a min. xv ad lx bis, vel ter quotidie.*

TINCTURA MYRRHÆ.

TINCTURA OPII.

Dosis, *a minim. iij ad lx semel in die, et pro*
re nata augeatur ad fluidr. ij vel plures semel, bis,
sæpiusve quotidie (Minim. xxiv continent Opii
purificati gr. j fere).

TINCTURA QUASSIÆ.

℞ Quassiæ Ligni concisi unc. j,
Spiritus tenuioris oct. j.

Digere per dies quatuordecim, et cola.

Dosis, *a fluidr. ss ad fluidr. j bis, vel ter*
quotidie.

168 PRÆPARATA ET COMPOSITA.

TINCTURA RHEI.

℞ Rhei Radicis concisæ unc. ij,
Pimentæ Baccarum contusarum,
Zingiberis Radicis contusæ, singularum
dr. ij,
Spiritus tenuioris oct. ij.

Macera per dies quatuordecim leni calore,
et cola.

Dosis, *a fluidr. j ad xij pro re nata.*

TINCTURA RHEI COMPOSITA.

Fiat Croci Stigmatibus omissis.

Dosis, *a fluidr. j ad xij pro re nata.*

TINCTURA SCILLÆ.

Dosis, *a minim. xx ad lx ter, quaterve quotidie.*

TINCTURA SENNÆ.

Cardamomi Seminum vice, uti liceat Pimentæ Baccis contusis.

Macera per dies quatuordecim leni calore, et cola.

Dosis, a fluidunc. ss ad fluidunc. iss pro re nata.

TINCTURA SERPENTARIÆ.

Dosis, a fluidr. j ad ij ter, quaterve quotidie.

TINCTURA VALERIANÆ.

Dosis, a fluidr. j ad ij bis, ter, quaterve quotidie.

TINCTURA VALERIANÆ AMMONIATA.

Dosis, a fluidr. ss ad fluidr. j bis, ter, quaterve quotidie ex Mistura Camphoræ, vel quovis alio vehiculo idoneo.

TINCTURA ZINGIBERIS.

Dosis, a fluidr. j ad ij bis, ter, quaterve quotidie.

170 PRÆPARATA ET COMPOSITA.

VINUM ALOES.

DOSIS, *a fluidr. j ad fluidunc. ij pro re nata.*

VINUM COLCHICI.

℞ Colchici Radicis recentis unc. xxvj,
Vini oct. iss,
Spiritus rectificati fluidunc. ij.

Macera per hebdomadam, et cola.

DOSIS, *a min. xxx ad cxx semel, bis, sæpiusve quotidie.*

VINUM FERRI.

DOSIS, *a fluidr. j ad iv bis, vel ter quotidie.*

VINUM IPECACUANHÆ.

DOSIS, *a minim. xx ad xl ter, quaterve quotidie; vel a fluidunc. ss ad fluidunc. j ad vomitum ciendum.*

VINUM OPII.

DOSIS, *a minim. x ad xl pro re nata.*

PRÆPARATA ET COMPOSITA. 171

VINUM TABACI.

℞ Tabaci Foliorum exsiccatorum unc. ss,
Vini fluidunc. vj,
Spiritus Vini tenuioris fluidunc. ij.

Macera per dies septem, et cola.

Dosis, *a minim. xx ad lx bis, vel ter quotidie.*

VINUM VERATRI.

Dosis, *minim. v ad x bis, vel ter quotidie.*

UNGUENTUM ACIDI SULPHURICI.

℞ Acidi sulphurici fluidr. j,
Adipis præparatæ unc. j.

Misce ; et interdum adde

Olei Terebinthinæ fluidr. j.

UNGUENTUM ANTIMONII TARTARIZATI.

℞ Antimonii tartarizati dr. j,
Adipis præparatæ unc. j.

Misce.

172 PRÆPARATA ET COMPOSITA.

UNGUENTUM ARSENICI.

℞ Arsenici Oxydi sublimati in pulverem
tenuem contriti scrup. ij,
Adipis præparatæ unc. j.
Misce, et interdum adde
Sulphuris sublimati dr. j.

UNGUENTUM CERÆ.

℞ Cæræ flavæ unc. vj,
Olei Olivæ oct. j.
Ceram in Oleo lento igne liqua, tum agita
donec refrixerint.

UNGUENTUM CONII.

℞ Conii Foliorum recentium,
Adipis præparatæ, singulorum lib. ij.
Adipi incoque Conii Folia, donec friabilia
fiant ; tum per linteum exprime.

UNGUENTUM ELEMI COMPOSITUM.

PRÆPARATA ET COMPOSITA. 173

UNGENTUM GALLÆ OPIATUM.

℞ Gallarum contritarum dr. ij,
Opii, Aqua emolliti, dr. j,
Liquoris Plumbi Subacetatis fluidr. ij,
Adipis præparatæ unc. j.

Misce.

UNGUENTUM HYDRARGYRI FORTIUS.

(Continet Hydrargyri $\frac{1}{2}$). Singulis unciis
interdum adde

Camphoræ, Olei Olivæ pauxillo contritæ,
dr. j.

UNGUENTUM HYDRARGYRI MITIUS.

(Continet Hydrargyri $\frac{1}{6}$). Singulis unciis
interdum adde

Opii, Aqua emolliti, dr. j.

UNGUENTUM HYDRARGYRI NITRA- TIS.

UNGUENTUM HYDRARGYRI NITRICO- OXYDI.

174 PRÆPARATA ET COMPOSITA.

UNGUENTUM HYDRARGYRI PRÆCIPITATI ALBI.

UNGUENTUM OPII.

℞ Opii, Aqua emolliti, dr. j,
Unguenti Ceræ unc. ij.

Misce.

UNGUENTI HYDRARGYRI OXYMURIATIS.

℞ Hydrargyri Oxymuriatis contritæ gr. iij,
Ungenti Cetacei unc. j.

Probe commisceantur.

UNGUENTUM HYDRARGYRI SUBMURIATIS.

℞ Hydrargyri Submuriatis dr. j,
Unguenti Ceræ unc. j.

Misce.

PRÆPARATA ET COMPOSITA. 175

UNGUENTUM PICIS LIQUIDÆ.

UNGUENTUM SULPHURIS.

Hoc Unguentum interdum misceatur cum
Unguenti Picis liquidæ pari pondere.

UNGUENTUM SULPHURIS CUM ACIDO
PICIS.

℞ Unguenti Sulphuris unc. ij.
Acidi Picis fluidr. ij.
Misce.

UNGUENTUM SULPHURIS COMPOSI-
TUM.

UNGUENTUM VERATRI.

176 PRÆPARATA ET COMPOSITA.

UNGUENTUM TEREBINTHINÆ COM-
POSITUM.

R̄ Olei Terebinthinæ fluidr. j,
Camphoræ contritæ dr. j,
Cerati Resinæ unc. j.

Misce.

*Super alutam extensum parti affecti quotidie
applicetur.*

UNGUENTUM ZINCI.

ZINCI OXYDUM.

Zincum calcinatum, P. L. 1787.

DOSIS, a gr. ij ad x bis, vel ter quotidie.

ZINCI SULPHAS.

Zincum vitriolatum, P. L. 1787.

DOSIS, a gr. ss ad gr. v bis, vel ter quotidie ;
vel a scrup. j ad dr. j ex aqua ad vomitum quam
citissime provocandum.

ZINCUM ACETATUM.

R_x Zinci Oxydi unc. j,
Aceti distillati quantum sufficiat.

Zincum solve ; liquorem per chartam cola,
et post idoneam leni calore evaporationem,
sepone ut fiant crystalli.

ADDENDA.

DECOCTUM AVENÆ.

℞ Avenæ Farinæ unc. j,
Aquæ fluidunc. iv.

Probe commistæ injiciantur in
Aquæ ferventis oct. iv.

Coque lento igne per horam ; et statim per
cribrum setaceum cola.

DECOCTUM LICHENIS.

Singulis octariis interdum adde

Lactis novi oct. j,
Sacchari purificati unc. iss.

Coque paulisper, et cola.

Dosis, *a fluidunc. iij ad iv ter, quaterve*
quotidie. Pro re nata liceat primum Licheni
affundere Aquæ ferventis octarium, et post
horæ quadrantis macerationem liquorem ef-
fusum rejicere.

LAC CUM SEVO.

℞ Sevi minutim concisi unc. j,
Aquæ fluidunc. iv.

Lento igne coque per horæ sextam partem,
et per pannum linteum exprime ; dein adde

Lactis novi oct. j,
Cinnamomi Corticis dr. j,
Sacchari purificati unc. j.

Coque per horæ sextam partem, et cola.

MISTURA VINOSA.

℞ Vini unc. vj,
Ovorum duorum Vitellos,
Sacchari purificati unc. ss,
Olei Cinnamomi minim. iij.

Misce.

Dosis, *unc. iss ter, quater, sæpiusve quotidie*
urgentibus languoribus.

Vini (Anglice *Sherry*) vice interdum uti
Misceat Vino rubro (Anglice *Port*).



AB HUIUS OPUSCULI PROPOSITO HAUD ALIENUM
ERIT VERBORUM QUORUNDAM IN EO
OCCURRENTIUM HIC NOTARE ACCENTUS.

A'bies, Abiétis.	Althæ'a.
Acácia.	Alúmen, Alúmina.
Acaroï'des.	Ammónia,
Acétas, Acetátis.	ammoniátus.
Acétum, acet'icum.	Ammoniácum.
Ac'idum.	Amyg'dala amára.
Aconítum.	Am'yllum.
Ac'orus.	Am'yris.
A'deps, Ad'ipis.	Anéthum.
Ærúgo, Ærúginis.	An'glicus (Crócus).
Æ'ther, Æ'theris,	Anísium.
æthéreus.	An'themis.
Africánu.	Antimónium,
Al'cohol.	antimoniális.
Al'oë spicáta, vulgá- ris.	A'qua distilláta.
	Ar'butus.

- ar'ida (Pix).
 aromat'icus.
 Aristoloch'ia.
 Arsen'icum,
 arsenicális.
 As'arum.
 Assafoet'ida.
 Astrag'alus.
 A'tropa.
 Avéna.
 autumnális (Crócus).

 balsam'ea (Pínus).
 Bal'samum.
 benzóicum (Ac'idum).
 Ben'zoïn.
 Bórax, Borácis.
 Bras'sica Rápa.
 Búbon.
 By'ne.

 Cacúmina.
 Cajupúti.
 Calamína.
 Cal'amus.
 calcáreus (Lápis).

 Cambógia,
 cambogioi'des.
 Campechiánum (Hæ-
 matox'ylon).
 Cam'phora,
 camphorátus.
 canína (Rósa).
 Cáprea (Sálix).
 Cap'sicum.
 Cap'sula.
 Car'bo, Carbónis.
 Carbónas,
 Carbonátis.
 Cardamíne.
 Cardamómum.
 Caribæ'a (Cinchóna).
 Car'ica.
 Caróta.
 Cárur, Car'ui.
 Caryophylli,
 Caryophyllórum.
 Castóreum (Ros'si-
 cum).
 Cataplas'ma,
 Cataplas'matis.
 Cat'echu.

eathar'ticus.
 Céra, Cerátum.
 Cerevis'ia.
 Cetáceum.
 Chironía.
 Cinchóna.
 Cinnamómum.
 Cítrus med'ica.
 Cítras, Citrátis.
 Col'chicum.
 Colocyn'this,
 Colocyn'thidis.
 commúnis (Ric'inus).
 compos'itus.
 Concrétum.
 condítus (Fructus).
 Coníum inaculátum.
 Convol'vulus.
 Copáiba, copaif'erus.
 Cor'tex, Cor'ticis.
 Créta, cretáceus.
 Crócus An'glicus.
 Cróton.
 Cúcumis.
 Cumínium.
 Cúprum.

Cydónia (Py'rus).
 Cymínium.
 Delphin'ium.
 despumátum (Mel).
 Digitális.
 dis'tichon.
 distilláta (A'qua).
 Dol'ichos.
 domes'tica (Prúnus).
 Drúpa.
 Dulcamára.
 edúlis (Os'trea).
 El'aphus.
 Elatérium.
 El'emi, elemif'erus.
 En'ema, Enem'atis.
 Europæ'um (As'a-
 rum).
 exsiccátus.
 Fæc'ula.
 Farína.
 Far'fara (Tussilágo).
 febrif'uga (Cuspária).

Fer'ula.	Hydrar'gyrum.
Fíber.	Hyoscy'amus.
Fícus.	
Fílix, Fil'icis.	Jalápa.
Fis'tula (Cas'sia).	
Fœnic'ulum.	In'dica (Tamarin'-
fœt'idus (Helleb'orus).	du).
Frax'inus.	Infúsum.
Fúcus.	Ipecacuan'ha.
	Islan'dicus (Líchen).
Gal'banum.	
Gal'lica (Prúnus).	Julépum.
Gentiána.	Junip'erus.
Glycyrrhíza glábra.	
Granátum.	Kíno.
Guaiacum.	
gummif'erum (He-	Lavan'dula.
racléum).	Legúminis Púbes.
Gum'mi-resína.	Leon'todon.
	Líber.
Hæmatox'ylon.	Líchen, Lichénis.
Helleb'orus.	Límon, Limónes.
Heracléum.	Línium.
Hispan'icus,	Líquor, Liquóris,
Hispalen'sis.	liq'uidus.
Húmulus.	Lomentórum Pulpa.

Iótum (Sul'phur).	Nítras, Nitrátis,
Lúpulus.	nit'ricus.
Lyc'ia (Junip'erus).	nob'ilis (An'themis).
macroceph'alus (Phy- séter).	officinális (Spon'gia).
maculátum (Coníum).	oleósus, O'leum.
Magnésia.	Olib'anum.
marit'ima (Scil'la).	Olíva.
Marylan'dica (Spigé- lia).	O'pium, opiátus.
Mas'tiche.	Orig'anum.
med'ica (Cítrus).	Os'trea.
Mezéereum.	O'vis.
Mistúra.	O'vum.
Momor'dica.	Ox'ydum cinéreum,
moscháta (Myris'ti- ca).	rúbrum.
Mucilágo,	Ox'ymel, Oxymel'lis.
Mucilag'inis.	Oxymúrias,
Múrias, Muriátis,	Oxymuriátis.
muriat'icus.	palmátum (Rhéum).
Myris'tica.	Papáver, Papav'eris.
Myrox'ylon.	Pastina'ca.
Nicotiána.	pedunculáta (Quer'- cus).
	Peruif'erus.
	Peruviánus.
	Pet'ala.

Petróleum.	Ros'sicus (Castor).
Phasiánuſ (Gal'lus).	Rúbia.
Physéter.	
Pil'ula.	Sabína.
Pínus.	Sac'charum.
piperíta (Men'tha).	Sagapénium.
Pix ar'ida, liq'uida.	salínuſ.
Pista'chia.	Sálix, Sal'icis.
Polyg'ala.	Sambúcuſ.
Polyg'onum.	santal'inuſ (Pterocar'-
Pónum, Pomórum.	pus).
præcipitátuſ.	Sápo, Sapónis.
præparátuſ.	Sas'safras.
Pulégium.	satíva (Avéna).
Púnica.	Scammónea.
purificátuſ.	Sémen, Sem'inis.
purpúrea (Digitális).	Sen'ega.
Pyréthrum.	sim'plex, sim'plicis.
Py'rola.	Sinápis.
	Solánum.
Rádix, Radícis.	somniíferum (Papá-
Rápa (Bras'sica).	ver).
rectificátuſ.	spicáta (Al'oë).
Resína.	Spigélia.
Ric'inuſ.	Spir'itus.
Rosa canína.	Stalagmítis.
Rósmarínus.	Staphiságria.

Stig'mata.	Tamarin'dus.
Strob'ili.	Tarax'acum.
Sty'rax, Sty'racis.	Tar'tarum,
Subacétas,	tartarizátus.
Subacetátis.	Tar'tras, Tartrátis.
Subbóras, Subborátis.	Terebin'thina.
Subcarbónas,	Tinctúra.
Subcarbonátis.	Toluif'era, Tolutánus.
sublimátum (Sul'-	Trit'icum.
phur).	Tur'cicus (Succus).
Submúrias,	Tussilágo,
Submuriátis.	Tussilag'inis.
Suc'cinum,	
succinátus.	Valeriána:
Sul'phas, Sulphátis.	Verátrum.
Sul'phur, Sul'phuris.	vesiculósus (Fúcus).
Sulphurétum,	vinif'era (Vítis).
sulphúricus.	vinósus, Vínus.
Superacétas,	Virginiána (Serpen-
Superacetátis.	tária).
Supersul'phas,	vir'idis (Men'tha).
Supersulphátis.	umbelláta (Py'rola).
Supertar'tras,	vom'ica (Strych'nos
Supertartrátis.	Nux).
Syrúpus.	vulgáris (Al'oë).
Tab'acum.	Zin'giber, Zingib'eris.

OMISSA.

 Pagina 32.

Rapæ Radix.

Brassica Rapa.
Willd. 548.

 Pagina 63.

DECOCTUM CYDONIÆ.

Mucilago Seminis Cydonii Mali, P. L. 1787.

DOSIS, *ad libitum, vel cochleare amplum lente
et frequenter deglutiatur.*

CORRIGENDA.

- Pag. 17, lin. 11, *lege* Decoctum, pag. 188.
 — 27, dele lineas 8 et 9.
 — 47, lin. 6, *lege* Julepum.
 — 51, — 6, — ruber.
 — 52, — 17, — Pulveris aromatici.
 — 57, — 7 et 8, Rapæ.
 — 63, — 22, — fluidunc.
 — 64, — 13, — adjectis l. 22, Cortice l. 23, additæ.
 — 69, — 19, — Pubis.
 — 73, — 4 et 6, Euphorbiæ.
 — 78, — 17, — distillet.
 — 93, — 6, — Solutionis.
 — 114, — 11, — Ammoniaci.
 — 131, — 3, — Medullæ.
 — 132, — 21, — Medullæ.

RECENTLY PUBLISHED


BY COX AND SON,

ST. THOMAS'S STREET, SOUTHWARK.


PHARMACOPŒIA OFFICINALIS
BRITANNICA.

Or a new and correct Translation of the London Pharmacopœia with which are incorporated in alphabetical order all the formulæ of the Edinburgh and Dublin Colleges, with copious Notes explanatory of the different processes. Second Edition. By RICHARD STOCKER, Apothecary to Guy's Hospital, 10s. 6d. boards.


Typis Johannis M'Creerii,
Black-Horse-Court, London.













TIGHT

GUTTERS